

Reference

- Abdalla , A.A.(1997) Effects of temperature and photoperiod on
(bulbing of the common onion (Allium cepaL
.under tropical conditions of the Sudan – Expt .Agric
.142 – 3:137
- Abdalla , A.A. and Elhassan ,G.M. (1977) Premature bolting of
onion (Allium cepa L) in the arid tropical of the
.Sudan .Acta.Hort. 53:35-42
- Ahmed ,A.A.E.G., and George , R.A.T (1984) . The effect of
mineral nutrition on seed and quality in onion . Acta
.Hort. 143:107- 119
- Anon , (1993) . plant production and protects , weed management
.For developing countries FAO, Rome 10 – 16 PP
- . Anonymous, (1986) Pest control in topical onion
Tropical Development and Research institute , London
.109PP
- .Anonymous (1991) , FAO production yearbook Vol. 45,140-142
, Badry,A.A.K.(1984) .Horticulture production in Sudan , Post
. Present and Future , Acta Hort. 143 : 25 – 29
- Bleasdale , J.K.A. (1966) . The effect of plant spacing on bulb
yield of onion (Allium cepa L.) growing from
.seed.Jour Hort. Sci. 41:145 – 153

Brewster, J.L.(1977) .The Physiology of the onion .J Hort .Abstr.47: 17 – 23

– Brewster,J,L.(1990)The physiology of crop growth and bulbing .chapt.3.P.53 – 88 . in onion and Allied crops ., I, ed .H.D Rabinowitch and J.L. Brewster . Boca Raton , CRC press .PP. 273

Brewster , J.L. and P.J. , Satter (1980) . The effect of plant spacing on the yield and bolting of two cultivars of overwintered bulb onion .J.Hort- Sci.55:97- 102

(Burgstaller , H., Mohammed , M. B .and Hassan , M.S.(1984 A handbook of vegetable production vegetable pests and diseases in The Sudan .PP.: 33 – 37

Casely J. C. (1974). Possible approaches to the enhancement of Herbicide efficacy. Proceeding, 12 the, British – 985 .Weed control conference , 3 : 977

Dento , L. and Ojeito , I.M. (1990) . Onion production practices and their improvement in Nigeria .Onion Newsletter for the tropics (2) : 10 – 13

Dongola , G.M. Evaluation of Oxyflourofen (Goal) and Pendimethalin (Stomp) in weed control on onion nursery . (report in onion . (2005-2006

Elamin , I.I.I (1999) Investigations on onion Pink root disease in Sudan . Ph.D. thesis university of Khartoum , Sudan

. (EL. Hassan ,H.S.; Mohamedali , G.H. and Freigon , S.O. (1979

In row spacing variety trial. Annual report of the
.Hudeiba Research Station .P.125

Farrag, M,M; Hassan . M.A.M. ; El-Manzy , M.Y.A. ; Abu Baker
M. ; and EL-Gamal , M.M., (1990). Effect of inter and
intrarow spacing on growth , yield and bulb quality of
: (onion .CV. Giza 6. Assiut Jour . of Agric.Sci. Vol . 20(1
.104 -91

Farrag, M.M., (1995). Influence of planting methods and plant
density on growth , yield and bulb quality of onion grow
from set. Assiut. Jour. Of Agric. Sci. 26 : (1) , 73 - 84
(Frank ,W.C.G Crabtree , H . J . mack , and .V. Berby laws (1973
, Effect of spacing on weed competition in sweet corn.
:soybean and onion . J. of Amer .Soci .Hortic .Sci., 98
.526-529

Hamdoun, A.M. and Tigani , K.B., (1977). Weed control
.problems in Sudan PAWS : 190 – 194

Hance , R. J. and , R. J. and K. , Holly (1990) weed control Hand
Book : principles (Eigh Edition) British Crop Protection
.Council , Black Well , Sci Pub ,582PP

Hassan , M.S. (1971). Report on vegetable crops research at Jebel
.Marra, Season 1970 / 71

Heath , O. V. S. (1943) . Studies in the physiology of the onion
plant II. Effect of day length and temperature on onion's
.growth from sets Ann. Appl.Biol., 30 : 308 – 319

Herison ,.C.; Masabni, J.G.; and Zandstra, B.H.(1993). Increasing Seedling density , age and nitrogen fertilization .increases onion yield . Hort. . Sci. 28 : (1) 23 – 25

Huffman , J. B. and N. D. Camper (1978) . Growth inhibition in tobacco (Nicotiana tabacum) callus by 2,6 Dinitro
 ailine herbicides and protection by D. X. tocopherol .actate, weed Sci. 2615) : 527 – 530

Jenkeins , I .M . (1954) .Some effects of different day length and ..temperature upon bulb formation in shallots . Proc .Amer Soc. Hort.Sci.30:311 – 314

Jones , H .A. and Mann , L.K. (1963) . Onions and their allies .Interscience Published ,INC. New York .PP. . 284

Kato , T. (1966). Effect of some environmental factors and , chemicals on the dominant process of bulb . Ibidem .56 – 49 :35

Labrada, R. , (1992) . Weed management , A component of IPM Proceeding International Workshop weed management of , Asia and the Pacific Region (IAST) Taegu . Korea FAO .special supplement . No. 7 PP. 5. 14

Lampty , T. V. O. (1976) The effect of disdoubing and spacing on yield, dry matter content and bulb size in Bawku onion .Allium cepa L.) on types of soil . Legon (chana) 59)

Lincoln, C. P.(1987). Alliums . Chapt .15p. 271-281 in vegetables Characteristics, production and marketing ieds , Jone .Wiley and Sons . Inc . PP 433

, Loken, James R. Haelene Hatler man Valenti, Collin Auwater and Walt Albus (2007) . Weed control using herbicides applied micro – rates in onion , Oakes .[http ://WWW. ag ndsu . edu / Oakes . 2007 Report on WCO 7. htm .](http://WWW.agsu.edu/Oakes.2007ReportonWCO7.htm)

Magruder , R. and Allard , H. A. (1937) .Bulb formation in some American and European varieties of onion as affected by .the length of day .Jou. Agric. Res. 54 : 719 – 752

Mahmoud, A.A. (1996).The effect of the time of transplanting and irrigation period on pink root rot disease on onion . M. Sc. thesis . Omdurman Islamic University

Mahmoud , S. H. and Mohamed , N. M. (1970) . Onion variety trail Annual report of Gezira Research Station . P. 366 . 375

Makepeace ,R .J . (1976) .The development of herbicides for field vegetable crops . Iproceedings 13 th , British weed control . Conference , 3 : 915 – 922

Mathur, V. C. (2001) . Export potential of onion – Regional work shop on commodity export diversification and poverty . reduction in south and south – east Asia . Bangkok

Mohamed , A.T. (1995) chemical weed control indirect seeded - and transplanted onion (*Allium cepa* L.) M. Sci. thesis . University of Khartoum

Mohamedali, G. H.(1979). Evaluation of yield and quality of five Onion varieties for dehydration . Ann. Report of Hudeiba .and Shendi Res. Stat. : 133 – 134

– Mohamedali , G. H. (1987) yield and quality evaluation of four onion improvement in the arid tropics of Sudan .Trop . Hort.Agric. (Trinidad) Vol. 67 (3) : 275 – 279

,Mondal , M. F. ; Brewster , J. L. ; Morris , G. E. L. , and Butter H. A. (1986) . Bulb development in onion (Allium cepa L.). I. effect of density and sowing date in field condition .Ann. Bot. 58 : 187

(Murray , D. S. J. E. Streat ; Soteres . and G.A. Buchonon (1979 Growth inhibition of cotton (Gossypium hirsutum) and Soybean (Glycine max) roots and shoots by three dinitro aniline herbicides . weed Sci 27(3) :336 – 342

(Nasr eldin K. Abdalla , Nadia E. Ibrahim andG.T.Babiker (2003 Proceeding 69 the meeting of the Pests and Diseases Committee ARTC conference hall 29 the September Wad medani Sudan 2003

Oldiran , J.A. and Sangoded , S.E (1996) . Effect of cultivars and Age of transplants on the bulb yield of onion (Allium .cepa L.) . Onion Newsletter for the Tropics 7:41-44

Ontraio, (2001) Irrigation frequency Drip to Flow Rate on onion performance weed controlTolerance with soil ,active and post emergence herbicides covery V.Ransom Charles A.Rice and Joeyk , Ishida , Malheur Experiment .station , Oregon Staff University

Parker , C. and J. Fryer (1975) . Weed control problems causing Major reduction in word food supplies . FAO . plant .protection Bulletin 23 (3.4) : 83 – 95

Purseglove , J. W. (1972) . Tropical crops Monocotyledons .Long . Man group. London . P. 37 – 50

Roberts, H.A.(1982) herbicides and their properties. weed control Hand book – Principles .106 – 157 issued by Britishcrop protection council – National vegetable – Research . Station . 7 the edition PP . 533

Sabota , C. and Downes , J. D. (1975) . Influence of spacing and transplant size on maturity,yield and grower returns from .the onion (Allium cepa L.) . Proc. Amer. Soc. Hort. Sci . 224 – 221 : 19

Sobeih , W. Y. and Wright C. J. C. (1986) .The photoperiodic regulation of bulbing in onion (Allium cepa L.).II effect .of plant age and size . Jour. Hort. Sci. 61 : 337

Thompson, A. K.; Booth R. H. proctor,F. J. (1973).Onion storage .In the tropics . Tropical Sci. XIV(1) : 19 – 34

Thompson , H. C. and Kelly , W. C. (1957) Vegetable crops. Text .book MCGRAW . Hill book P 348 – 355

Thompson , H. C. and Smith ,O. (1938).The effect of temperature and photoperiod on seedling and bulbing in the onion .Proc. Amer. Soc. Hort. Sci. 36 : 559

Tindall , H. D.(1983).Vegetable in the tropics..1st edition. London

. and Basingstoke. P. 20 : 23

: Traknov , I. G. (1993) . photoperiod response in onion
 Important determinations with special reference to
 Tropical cultivars . Onion Newsletter for the tropics
 . 27 – 26 : 5

.Voss , R (1979) . The production of onion in California . 31PP

Ware , G. W. and Mc Collum , J. P. (1980) . Producing vegetable
 . Crops . 3rd edition , USA . P. 354 – 376

Wiles , G. C. and Midmor , D . J. (1994) The effect of different
 photoperiods and temperature following bulb initiation on
 .bulb development in tropical onion cultivars . Acta. Hort
 .427 – 419 : 358