

REFRECECES

Abd –EL-Kawy,M.A ; EL-Kashoury ,E.A; EL-Fishawy,E.M; Atta,A.H ;Soliman ,F.M (1989) , Alkaloids and lignans of haplophyllum tuberculatum (Forssk.) A.Juss. Egyptian journal of pharmaceutical science, 30: 1 - 4, 299 -308...

Abu EL Reish B.I, (1999), Pharmacognocetical and phytochemical studies on Haplophyllum tuberculatum. International botanical congress Abstract number: 4256 poster number: 2443,

Al-Shamma, A., AL –Douri, N.A. and Phillipson, J.D. (1979).New alkaloids of haplophyllum tuberculatum.Phyto chemistry, 18: 1417.

AL-Yahya, M.A., AL-Rehaily, A.J., Ahmed, M.S., AL-Said, M.M. and AL-Feraly, F.S. (1992).New alkaloids from haplophyllum tuberculatum .J. Nat. prod. 55, 899-903

AL-Yahya , M.A. , AL-Domaity ,M.M., AL-Meshal, I.A., AL-Said M.S. and AL-Feraly ,F.S. (1991) (+) Dihydroperfamine , an alkaloid from Haplophyllum tuberculatum .International journal of pharmacognacy 29 , 268-272.

Andrews F.W. (1952), The flowering plants of the Anglo Egyptian Sudan, volume 2, first edition, p 485 , John Wiley London.

Andersen, R.A and Vaughn, (1972), Alkaloids of Haplophyllum tuberculatum, Phytochemistry: 11, p 2593.

Bessonova-IA;Kuurbanov-D;Younsov-S-Yu (1990) .Components of the leaves of *Haplophyllum* .Chemistry of natural compounds .1990,26:2,234.

Bessonova-IA;Yunusov –S-Yu , (1986), Alkaloids of *Haplophyllum* roots .Institute of Khimii Rastitel ,Veshchestv, Tashkent Usbek. Khimiya-prirodnikh-Soedineni. 1986,No.6, 736-737

Biswas ,S.,Murugsan ,T.R, Sinha ,S. , Maiti , K.,Gayen, J.R ,Pal ,M. and Saha , B.P.(2002) .Antidiarrhoeal Activity of *Strychnos potatorum* seeds extract in rats . Fitoterapia , 73 (1) 43-47.

Boulton, A.J. (1967), Advances in hetrocyclic chemistry, volume 8 , p143 , edition one , Mc Graw –Hill book company , Inc. New York and London.

Brunton, J. (1995) , Drugs of biological origin , volume 2, second edition . Champan and Hall, London.

Broun, A. F. and R. E.Massey (1929) . Flora of the Sudan .London ,volume 1, first edition, Academic press. London.Deveral ,B.J. ,(1972), Phytochemical ecology , volume 1, second edition, Harborne Academic press.J.B, p 217

Daniel J. Pasto & Carl R. Johnson (1969) Organic structure determination volume 1 Daniel J. Pasto Department of chemistry university of Notredam , Carl R.Johnson Department of chemistry Wayne state university .

EL-Tahir, A, Satti , G.M.H. and Khalid ,S.A.(1999) .Antiplasmodial activity of selected Sudanese mediscinal plants with emphasis on *Asianilotica*. Phytotherapy Research ,13, 474-477.

Erich Heftmann, (1966) Chromatography, second edition, California institute of technology, California, Academic press (Pub.) New York and London.

Esiomone , Co, Adikwu , M.U. and Muko, K.N.(1999). Antimicrobial properties of *Indigofera dendroides* leaves – *Fitoterapia* , 70 (5) , 517 -520.

Galston ,A.W. (1969) .Prespectives in phytochemistry volume 2 first edition, Academic press London .

Ganapaty,S.,Dash , G.K., Subburaju ,T. and Suresh ,P. (2002) Diuretic , Laxative and toxicity studies of *Cocculus hirtus*. *Fitoterapia* ,73 (1) , 28-31.

Govendachari, T.R, Suresh ,G and Masilamani, S.(1999). Antifungal activity of *Azadirachta indica* leaves hexane extract *Fitoterapia* , 70 (4) , 416-420 .

Harborne , J.B.,(1974) , Phytochemical methods, volume 1,edition two, John Wiley London.

Hazim A.Kadry . (1989), Chemistry of natural products, volume2, edition one. Dar EL. Shabab Printing House.

Henry, T.A , (1949), The plants alkaloids, fourth edition , Academic press. London

I.L .Finar (1964) Organic chemistry, stereochemistry and chemistry of natural products ., volume 2 , six edition .EL.BS English language book society / Longman

Kamil-WM.(1988). Lignans of Iraqi medicinal plants .Biological research center ,Bghdad , Iraq. Journals of biological science research 1988,19,1,65-70;15.

Kavanagh, F.(1972) Analytical microbiology .vol.11. Academic press (Pub.) New York and London.

Khalid , S.A (1982) chemistry and chemotaxonomy of some African Rutaceae and leguminosae .ph. D. thesis submitted to the department of pharmaceutical chemistry , university of Strathclyde , Glasgow , United kingdom .

Khalid , S.A and Waterman , P.G.(1981) Alkaloid lignan and flavonoid constituents of *H. tuberculatum* from Sudan . *Planta medica* , 43,148,152.

Khalid , S.A and Waterman , P.G (1981a) Alkaloids from stem bark of *Oricia renieri* and *Oricia gabonensis* , *phytochemistry* 20,2761-2763.

Khalid , S.A and Waterman , P.G (1982) furoquinoline and pyrano-2-quinolone alkaloids *Vipris stolzii* . *J. Nat. prod.* 45,343,346.

Khalid, S.A. , Mustafa ,A.F.,Geary , T,G. and Gensen, J.B..(1986) potential antimalarial candidates from African plants :an invitro approach using *plasmodium falciparum* journal *Ethanopharmacology* ,15, 201-209

Lavie, D., Danieli , N., Weitman , R . and Glotter (1968) A new quinolone type alkaloid from *Haplophullum tuberculatum* (Rutaceae), *Tetrahedron* , 24,3011-3018.

Manskee and Holmes, (1963), The alkaloids chemistry and physiology volume 1 first edition

Mc phail .A.T., Mc phail , D.R.,AL –Said .EL-Domaity, M.M. and EL-Feraly,F.S.(1990) Revision of the stereochemistry of (+) tuberine an alkaloid from *Haplophyllum tuberculatum* . *Phytochemistry* , 29,3055-3057.

Openshaw, H.T. (1986), .Quinoline alkaloids other than those of cinchona volume1 second edition ,p 69.Acadamic press London.

Saxson J.A , (1986) ,The alkaloids ,volume 1 second edition . .EL.BS English language book society / Longman

Sener-B ;Nayonalpan-N ;Tanker-N;Koyuncu-M; Lewis –JR;Mutlugil-A (1987) .Pharmacogonsic researches on rutaceae plants growing in Turkey .Faculty of pharmacy,Gazi University ,Ankara,Turky , International -journal – of crude drug research .1987,25:2,87-88

Shafigg I .B (1996), Medicinal plants constituents, volume 1, second edition. Dar EL. Shabab Printing House.

Sheriha , G.M. and Abouamer ,K.M.(1984). Lignan of *H. tuberculatum* .*Phytochemistry* 23: 151-153 .

Sheriha , G.M. and Abouamer , K.M. ,ELshitaiwi , B.Z.,Abed , F.A. and AL hallag , H.H. (1987) Quinoline alkaloids and cytotoxic lignan from *H.tuberculatum* .*Phytochemistry* ,26: 3339-3342.

Sheriha , G.M. and Abouamer , K.M. ,ELshitaiwi , B.Z.(1985).An alkaloid from *H .tuberculatum* .*Phytochemistry* ,24:884-886.

Trease and George , (1965). Pharmacognacy , volume one, 11 edition, John Wiley , London.

Thomas Anderson Henry, (1949) the plant alkaloids fourth edition volume 1 Academic press, New York and London

Townsend, C.C.(1966) Towards a revision of *H.tuberculatum* A.Juss (Rutaceae):11: Kew Bulletin, 20, 89-102

Townsend, C.C.(1967) Towards a revision of *H.tuberculatum* A.Juss (Rutaceae):11:Kew Bulletin,21,75-81

Waterman, P.J. and Khalid, S.A. (1981) .The biochemical systematics of *Fagaropsis anglonesis* and its significance in the rutes .Biochem. system Ecol. , 9,45-51.