

References

- [1]: C. Pierre: Algebraic representations of Von Neumann algebras, Journal of Functional analysis, vol (1), (2006), 1 – 46.
- [2]: Connell, J. C., Robson, T. C: Non commutative Voetherian rings. Wiley, (1987).
- [3]: Pierre, C: Introducing bisemistruclures. Preprint Arxiv. org (2006), GM/0607624.
- [4]: Pierre, C: n – dimensional global correspondences of Lang Lands. 1.
- [5]: Harder, G: Eisenstein cohomology of arithmetic groups, The case GL_2 . Invent. vol (89), (1987), 37 – 118.
- [6]: Haagerup, U., Bisch, D: Composition of subfactors: new examples, of infinite depth subfactors, Ann Scient, Ecole Norm. Sup., vol (29), (1996), 329 – 383.
- [7]: Jones, V. F. R: Index for subfactors. Invent., vol (72), (1983), 1 – 25.
- [8]: Borel, A: Liner algebraic groups. Grad Texts in Math., vol (126), (1991), Springer Verlag.
- [9]: Farb, B., Dennis, K: Non commutative algebras. Grad. Texts in Math., vol (144), (1993), Springer Verlag.
- [10]: Winter, D: The structure of fields. Grad. Texts in Math., vol (16), (1974), Springer Verlag.
- [11]: Artin, M: On Azumaya algebras and finite dimensional representation of ring. J. of Algebras, vol (11), (1979), 531 – 563.
- [12]: Borel, A: Regularization theorems in Lie algebra chomolgy. Duck Math. J., vol (50), (1983), 605 – 623.
- [13]: Harder, G: Some results on the Eisenstein chomology of arithmetic subgroups of GL_n . In J. P. Labesse, J. Schwermer (Eds): Cohomology of arithmetic groups and automorphic forms, Lect. Not. Math, vol (1447), (1993), 85 – 153.
- [14]: Schwere, J: Cohomology of qrithmetic groups automorphic forms and L -functions. In: Labesse, J. P., Shwermer, J. (Eds): Chomology of arithmetic groups and automorphic forms, Lect. Notes Math., vol (1447), (1990), 1 – 29.
- [15]: Borel, A: Groups Linéaire algebriques. Annals of Math., vol (64) (1956), 20 – 82.
- [16]: Atiyah, M. F: Singer, I: The index of elliptic operators on compact manifolds Bull, Amer. Moth., vol (69), (1963), 422 – 433.

- [17]: David, P. Blecher & Louis, E. Labuschagne: Von Neumann algebraic $\ast$ -theorey, Arxiv, Math, OA/0611879, (2006), 1 – 24.
- [18]: T. P. Srinivasan & T. K Wang, Weak $\ast$ – Dirichlet algebras: In function algebras, Ed, Frank T. Birtel, Scott Foresman & Co., (1966) 216 – 249.
- [19]: M. Takesaki: Theory of operator algebras I, Springer, New York, (1979).
- [20]: D. P. Blecher & L. E. Labuschagne: Characterizations of noncommutative $\ast$ - , Integr. Equ. Oper. Theory, vol (56), (2006), 301 – 321.
- [21]: D. P. Blecher & L. E. Labuschagne, Applications of the Fugled – Kadison determinant: Szegő's theorem and outers for noncommutative $\ast$ - , (Arxiv: math. OA/0609662).
- [22]: W. B. Arveson, Analyticity in operator algebras, Amer. J. Math., vol (89), (1967), 578 – 642.
- [23]: G. Popescu, Entropy and multivariable interpolation, Mem. Amer. Math. Soc., vol (184), (2006), 868.
- [24]: D. P. Blecher & L. E. Labuschagne: Noncommutative function theory and unique extensions, To appear, studia Math.
- [25]: Lia Vas: Torsion theories for algebras of affiliated operators of finite Von Neumann algebras, Arxiv, Math, Ra/0702528, (2007).
- [26]: J. Dixmier: Von Neumann algebras, (North Holland, Amsterdam. New York, 1981).
- [27]: W. Lück: Dimension theory of arbitrary modules over finite Von Neumann algebras and ℓ^2 - Betti numbers I: foundations, J. Reine Angew. Math, vol (495), (1998), 135 – 162.
- [28]: W. Lück, ℓ^2 - invariant: Theory and applications to Geometry and K - theory, Ergebnisse der Mathematik and ihrer Grebzbgebiete, Floge3, 44, (springer – Verlag, Berlin, 2002).
- [29]: S. K. Berberian: The maximal ring of quotients of a finite Von Neumann algebra, Rocky Mountain journal of Math, vol (12), (1982), 149 – 164.
- [30]: L. Vas: Torsion theories for group Von Neumann algebras, Dissertation, University of Maryland, College Park (2002).
- [31]: P. E. Bland: Topics in torsion theory, Math. Research, vol (103).
- [32]: Monographs & Surveys in Pure and Applied Mathematics, vol (29), (1986).
- [33]: H. Reich: Group Von Neumann algebras and rekated algebras, Dissertation, Georgy – August universität Zu Göttingen, Göttingen, (1998).

- [34]: Anthony, T. Lau & Alan L. T. Paterson: Group amenability properties for Von Neumann algebras, Arxiv, 0704.2796v2, Math.OA, 2007.
- [35]: M. E. B. Bekka: Amenable representations of locally compact groups, *Invent. Math.*, vol (100), (1990), 383 – 401.
- [36]: A. T. Lau & A. L. T. Paterson: Inner amenable locally compact groups, *Trans. Amer. Math. Soc.*, vol (325), (1991), 155 – 169.
- [37]: N. Dunford & J. T. Schwartz: Linear operators, part2, interscience publishers, New York, 1963.
- [38]: A. Connes: Classification o injective factors, *Annals of Mathematics*, vol (104), (1976), 73 – 115.
- [39]: J. Dixmier: Von Neumann algebras, translation by F. Jellett of: *Les Algèbres d'opérateurs dans*, 1969, North – Holland Publishing company, New York, 1981.
- [40]: A. L. T. Paterson, *Amenability: Mathematical Surveys and monographs*, Number 29, American Mathematical Society, Providence, Rhode Island, 1988.
- [41]: M. Takesaki: Duality and Von Neumann algebras, *Lectures on Von Neumann algebras*, Tulane University Ring and operator Theory Year (1970 – 1971), vol II, *Lecture Notes in Mathematics*, Springer – Verlag, vol (247), (1972), 665 – 786).
- [42]: M. Enock and J. M. Schwarz groups, *springer – Verlag*, New York, 1992.
- [43]: A. Valette: Amenable representations and finite injective Von Neumann algebras, *Proc. Amer. Math. Soc.*, vol (125), (1997), 1841 – 1843.
- [44]: M. Takesaki: Theory of operator algebras, I, *Encyclopedia of Mathematical Sciences*, vol (125), Springer, New York, 2003.
- [45]: M. Denmark and Carl Winslow: The efforts – Maréchal Topology in the space of Von Neumann algebras, II, *Journal of Functional Analysis*, vol (171), (2002), 401 – 431.
- [46]: U. Haagerup: The standard from of Von Neumann algebras, KUMI preprint 1973 and (in reduced form) *Math. Scand.*, vol (37), (1975), 271 – 283.
- [47]: A. Connes: Classification of injective factors, *Ann. Amth.*, vol (104), (1976), 73 – 115.
- [48]: E. Kirchberg: On non – semisplit extensions, tensor products and exactness of group C^* - algebras, *Invent. Math.*, vol (112), (1993), 449 – 489.
- [49]: E. StØrmer: Large groups of automotphisms of C^* - algebras, *comm. Math. Phys.*, vol (5), 1967), 1 – 22.

- [50]: E. Størmer: Symmetric states of infinite tensor products of C^* -algebras, J. Funct. Anal, vol (3), (1969), 48 – 68.
- [51]: S. Strătila: Modular theory in operator algebras, abacus press and Editura Academiei, 1981.
- [52]: R. Kadison and J. Ringrose: Fundamentals of the theory of operators algebras, vol II, Academic Press, 1986.
- [53]: M. Takesaki: Theory of operator algebras I, Springer – Verlag, 1979.
- [54]: A. Connes: Une classification des facteurs de type III, Ann. Sci. école Norm. sup, vol (4), (1973), 133 – 252.
- [55]: J. L. Sauvageot: Sur le type de produit croisé d'une algebra de Von Neumann par un group localement compact, bull. Soc. Math. France, vol (105), (1977), 349 – 368.
- [56]: Y. Sekine: Flow of weights of the crossed product of type III factors by discrete groups, Publ. Res Inst. Math. Sci, vol (26), (1990), 655 – 666.
- [57]: U. Haagerup and E. Størmer, Equivalence of normal states on Von Neumann algebras and the flow of weights, Adv. Math., vol (83), (1990), 180 – 262.
- [58]: J. Dixmier: Les algebres et leurs représentations, Gauthier – Villars, Paris, 1969.
- [59]: Man – Duen Choi: The full C^* -algebra of the free group on two generators, Pacic Journal of Mathematics, vol (87), (1980), 1.
- [60]: D. Voiculescu: The analogues of entropy and of Fischer's information measure in free probability theory, II, Invent. Math., vol (118), (1994), 411 – 440.
- [61]: D. Voiculescu: A non – commutative Weyl – Von Neumann theorem, Rev. Roumaine Math. Pures Appl, vol (21), (1976), 97 – 113.
- [62]: M. D. Ghoi: The Full C^* -algebra of the free group on two generators, Pacific. J. Math, vol (87), (1980), 41 – 48.
- [63]: S. Heinrich: Ultraproducts in Banach space theory, J. Reine und Angew. Math, vol (313), (1980), 72 – 104.
- [64]: J. Dixmier: Les algebres d'opérateurs dans l'espace Hilbertien (Algèbres de Von Neumann), Gauthiers – Villare, Paries, 1975.
- [65]: S. Albeverio, Sh. A. Ayupov, K. K. Kudaybergenov, Derivations on the algebras of compact operators affiliated with a type I Von Neumann algebra, Arxiva, Math. Oa/0703331, vol (1), (2007), 1 – 12.

- [66]: S. Albeverio, Sh. A. Ayupov, K. K. Kudaybergenov: Derivations on the algebras of measurable operators affiliated with a type I Von Neumann algebra II SFB 611 Universität Bonn, Preprint, No 301, (2006).
- [67]: A. G. Kusraev: Dominated operators, Kluwer Academic Publisher, Dordrecht, 2000.
- [68]: F. J. Yeadon: Non – commutative L^p - space, Math. Proc. Camb. Soc., vol (77), (1975), 91 – 102.
- [69]: A. Stroth, G. P. West: p - compact operators affiliated to a semifinite Von Neumann algebra, Proc. Royal Irish Acad., vol (93), (1973), 73 – 86.
- [70]: I. G. Ganiev, K. K. Kudaybergenov: Finite dimensional modules over the ring of measurable functions // Uzbek Math. Journal, (2004).
- [71]: D. Sarason: Brown's spectral distribution measure for diagonal elements in finite Von Neumann algebras, Journal of functional analysis, vol (176), (2000), 331 – 367.
- [72]: A. Nica & R. Speicher: R- Diagonal Pairs – A common approach to Haar unitaries and circular elements, in "Free Probability Theory", fields institute communications, vol (12), (1997), 149 – 188.
- [73]: B. Fuglede & R. V. Kadison: Determinant theory in finite factors, Ann. Math, vol (55), (1952), 520 – 530.
- [74]: L. G. Brown: Lidskii's theorem in the type II case, in "Proceedings U. S. – Japan, Kyoto Japan, vol (123), (1983), 1 – 35.
- [75]: A. Nica & R. Speicher: Commutators of free random variables, Duck Math. J., vol (92), (1998), 553 – 592.
- [76]: Tony Falcone & Masamichi Takesaki: The non – commutative flow of weights on a Von Neumann algebra, Journal of functional analysis, vol (182), (2001), 170 – 206.
- [77]: H. Kosaki: Application of the complex interpolation method to a Von Neumann algebra (non – commutative L^p - spaces), J. Funct. Anal, vol (56), (1984), 29 – 78.
- [78]: J. M. G. Fell: induced representations and Banach – algebraic bundles in "Lecture Notes in Math"., vol (582), (1977).
- [79]: A. Van Daele, "Continuous crossed products and type III Von Neumann algebras", lecture notes series, vol (31), London Math. Soc., 1978.

- [80]: S. L. Woronowicz: Operator systems and their application to the Tomita Takesaki theory, lecture note series, vol (52) Aarhus Universitet, Matematisk, 1979.
- [81]: U. Haagerup: L^p -space associated with an arbitrary Von Neumann algebra, presses du CNRS, Paris, vol (15), (1979), 181 – 185.
- [82]: A. Connes and M. Takesaki: The flow of weights on factors of type III, Tôhoku. Math. J., vol (29), (1977), 473 – 555.
- [83]: Alain Connes: On the notion of relative property (T) for inclusions of Von Neumann algebras, Journal of functional analysis, vol (219), (2005), 469 – 483.
- [84]: A. Connes: A type factor with countable fundamental group, J. operator theory, vol (4), (1980), 151 – 183.
- [85]: C. Akemann, M. Walters: Unbounded negative definite functions, Can. J. Math, vol (33), (1981), 862 – 871.
- [86]: D. Kazhdan: Connection of the dual space of a group with the structure of its closed subgroups, funct. Anal, vol (1), (1967), 63 – 65.
- [87]: P. de la Harpe, A. Valette: La propriété T de Kazhdan pour les groupes localement compacts, Asterisque, vol (175), (1989).
- [88]: P. Jolissaint: On the relative property T, preprint, (2001).
- [89]: S. Popa: Strong rigidity of II_1 factors coming from malleable actions of weakly rigid groups, I, Math. OA/0305306, (2003).
- [90]: M. Breuer: Fredholm theories in Von Neumann algebras, Math. Ann, vol (178), (1968), 143 – 254.
- [91]: V. S. Perera: Real valued spectral flow, contemp. Math, vol (185), (1995), 307 – 318.
- [92]: V. S. Perera: Real valued spectral flow in a type III factors, Houston J. Math, vol (25), (1999), 55 – 66.
- [93]: J. Phillips: Spectral flow in type I and type II factors – a new approach, fields institute communications, vol (17), (1997), 137 – 153.
- [94]: A. L. Carey & J. Phillips: Unbounded Fredholm modules and spectral flow, Canad. J. math, vol (50), (1998), 673 – 718.
- [95]: A. L. Carey & J. Phillips: Spectral flow in Fredholm modules, eta invariants and the JLO cocycle, K, Theory, vol (31), (2004), 135 – 194.
- [96]: B. Booss, B. Bunk, & M. Lesch & J. Phillips: Unbounded Fredholm operators and spectral flow, Canad. J. Math, vol (57), (2005), 225 – 250.

- [97]: C. Wahl: A new topology on the space of unbounded selfadjoint operators and the spectral flow, preprint arXiv: Math. FA/0607783, (2006).
- [98]: J. Phillips and I. F. Raeburn: An index theorem for Toeplitz operators with noncommutative symbol space, J. Funct. Anal, vol (120), (1993), 239 – 263.
- [99]: A. L. Carey and J. Philips and A. Sukochev: The local index formula in semifinite Von Neumann algebras II: the even case, Adv. Math, vol (202), (2006), 517 – 554.
- [100]: C. Wahl: Spectral flow and winding number in Von Neumann algebras, arXiv: Math. OA/0608030, vol (2), (2007), 1 – 26.
- [101]: C. Wahl: Spectral flow and winding number and integral formulas, preprint, arXiv: Math. FA/0707783, (2007).