

References

- 1- Abe K, Konomi N (1998) Infectious Diseases, Clinical Microbiology. Oct; 36(10):3070-2.
- 2- Adam B. W (2000). Prediction from use of filter paper for the collection and analysis of human whole blood specimens.10-13.
- 3- Aguirre Errasti, C., M. Montjedo Baranda, J. L. Villate Navarro, and V. Sobradillo Pena. (1984). An outbreak of Q fever in the Basque country. Can. Med. Assoc. J. 131:48-49
- 4-Alexander RC; Coffee SJ; Public Health Laboratory, San Bernardino County, CA, USA (1995), Abstract Gen Meet Am Soc Microbial.; 95:78.
- 5- Ann.Fam (2005); Med, Clinical and Epidemiologic Features of Primary HIV Infection .September 1, 3(5): 400 - 404.
- 6- Arya, s. c (1988). Enhancement of field stability and utility of future biological through prior accelerated degradation testing, 6:386.
- 7- Ballou SP, Kushner I (1992). C - reactive protein and the acute phase response. Adv Intern Med, 37:313-336,).
- 8- Beebe, J. L., and L. Briggs. 1990. Evaluation of enzyme linked immunoassay systems for detection of human immunodeficiency virus type 1 antibodies from filter paper disks impregnated with whole blood. J. Clinical. Microbiology.4:808-810.
- 9- Behets, F., M. Kashamuka, M. Pappaioanou, T. A. Green, R. W. Ryder, V. Batter, J. R. George, W. H. Hannon, and T. C. Quinn. (1992). Stability of human immunodeficiency virus type 1 antibodies in whole blood dried on filter paper and stored under various tropical conditions. J. Clin. Microbiol. 30:1179-1182.
- 10- [Cameiro-Proietti](#), [F. Proietti](#), [V. Gonçalves](#) (2000). "Blood collection

on filter paper: A practical approach for sample collection for studies of seroprevalence among IDUs. International Conference AIDS Jul 9-14; 13 www.iac2000.org/abdetail.asp?ID=ThPeB5162 - 6k

11- Cassol. S. T. Salas. M. Arela.P. Neumann. M. T. Schechter and M.O'Shaughnessy (1991). Use of dried blood spot specimens in the detection of human immunodeficiency virus type, *Journal of Clinical Microbiology* 1:228-233)

12- Cassol, S., T. Salas, M. Gill, M. Montpetit, J. Rudnik, C. Sy, and M. O'Shaughnessy (1992). Stability of dried blood spot specimens for detection of human immunodeficiency virus DNA by polymerase chain reaction. *J. Clinical. Microbiology*. 30:3039-3042.

13- CDC, (1987). Revision of the CDC Surveillance Case Definition for Acquired Immunodeficiency Syndrome. *JAMA*; 258:1143-1154.

14- Chrystie, I.L. and J.D. Almeida (1988). Further studies of HIV morphology by negative staining: 459-464.

15- Chung-Chen Li, Kristy D. Seidel (2005), Detection and Quantification of Human Immunodeficiency Virus Type 1 p24 Antigen in Dried Whole Blood and Plasma on Filter Paper Stored under Various Conditions *Journal of Clinical Microbiology*, August, , Vol. 43, No. 8, p. 3901-3905.

16-ClaqueA, Thomas A (2002). Neonatal biochemical screening for disease. *Review Clinical Chemical Acta*; 315:99-1

17- [Comeau AM](#), [Pitt J](#), [Hillyer GV](#), [Landesman S](#), [Bremer J](#), [Chang BH](#), [Lew J](#), [Moye J](#)(1996). Early detection of human immunodeficiency virus on dried blood spot specimens. *J. Pediatric Sep*; 129(3):486.

16- Cook JD, Flowers CH, Skikne BS (1998). An Assessment of Dried Blood-Spot Technology for Identifying Iron Deficiency. *Blood*. 1;

92(5):1807-13.

17- Coutlée, F., Y. He, P. Saint-Antoine, C. Olivier, and A. Kessous (1995). Coamplification of HIV type 1 and β -globin gene DNA sequences in a nonisotopic polymerase chain reaction assay to control for amplification efficiency. *AIDS Res. Hum. Retrovir.*, 11:363-371.

18- David Cubitt (2002). Mrc news. VOL. 33, NO. 1

19- Devange Panteleeff, D., G. John, R. Nduati, D. Mbori-Ngacha, B. Richardson, J. Kreiss, and J. Overbaugh (1999). Rapid method for screening dried blood samples on filter paper for human immunodeficiency virus type 1 DNA. *J. Clin. Microbiol.*, 37:350-353.

20- Edwards A and Am J Hum Genet (1991). DNA typing and genetic mapping with trimetric and tetrameric tandem repeats. 49(4): p. 746-56.

21-. El Mubarak 1 2, S. Yüksel 1, O.M. Mustafa 2, S.A. Ibrahim. (2004). Surveillance of measles in the Sudan using filter paper blood samples. *J. Medical Virology.*, 73:624-630.

22- Faraj BA, Lawson DH, Nixon DW, Murray DR, Camp VM, Ali FM (1981). Melanoma detection by enzyme-radioimmunoassay of L-dopa, dopamine and 3-O-methyldopamine in urine. *Clin Chemistry*; 27:108-112.

23- Farzadegan, H., T. Quinn, and B. F. Polk (1987). Detecting antibodies to human immunodeficiency virus in dried blood on filter paper. *J. Infect. Disease.*, 155:1073-1074 .

24- Florence Fenollar and Didier Raoult (1999), Diagnosis of Rickettsial Diseases Using Samples Dried on Blotting Paper. *Clinical and Diagnostic Laboratory Immunology*, Vol. 6, No. 4, p. 483-488

25- Gallo RC (1986). The first human retrovirus scient Am, (255): 88-98.

26- Gonzague M, Roger F, Bastos A (2001): solation of a non-haemadsorbing, non-cytopathic strain of African swine fever virus in

Madagascar. Epidemiology Infection 126:453–459.

27- Hannon, W. H., L. O. Lewis, and S. A. McGee (1989). Preparation and characterization of HIV seropositive materials for quality control, p 31-36.

28- Hartenstein, D. A. (1996). Dried blood spot to monitor HIV. N. Engl. J. Medical 335:1091-1098,

29- Henry J. Kaiser (2003), Dried Blood CD4+ T-Cell Test, The [Volume 362](#), Pages 1459-1460.

30- James I. Beebe and Laurence C. (1990). Evaluation of Five commercial enzyme-linked immunoassay systems for the detection of human immunodeficiency virus. Journal 1990 Apr; 28(4):808-10.

31- [Jeffrey Laurence, MD \(1993\)](#). T-Cell Subsets in Health, Infectious Disease, and Idiopathic CD4+ T Lymphocytopenia. Volume (119), 55-62.

32- [Kashamuka M](#), [Behets F](#) (1993). Accurate detection of maternal antibodies to HIV in newborn whole blood dried on filter paper. Apr; 7(4):483-8.

33- Kedes DH, Operskalski E, Busch M (1996). The seroepidemiology of human herpes virus 8 (Kaposi's sarcoma-associated herpes virus), Distribution of infection in KS risk groups and evidence for sexual transmission. Nature Med 2:918-924.

34- Kelly, H. A., M. A. Riddell, S. B. Lambert, J. A. Leydon, and M. G. Catton (2001). Measles immunity among young adults in Victoria. Commun. Dis. Intel., 25:129–132).

35- Levy (1993). Human cells susceptible to HIV infection. J. A., Microbiol. Rev., 57:183-289.

36- Lillo F, Varnier OE, Mantia E, Terragna A, van der Groen G, Van kerckhoven (1992). Detection of HIV-1 antibodies in blood specimens

spotted on filter-paper. Bulletin of the World.

37- Luo, W., Yang, H., Rathbun, K., Pau, C.-P., Ou, C.-Y. (2005). Detection of Human Immunodeficiency Virus Type 1 DNA in Dried Blood Spots by a Duplex Real-Time PCR Assay. J. Clin. Microbiology, 43: 1851-1857.

38- Mariet de Beer (2002) , identify antibodies to HIV in dried blood spots, Medical research council, volume ,33,No 1.

39- McCarron B, Fox R, Wilson K, (1999). Hepatitis C antibody detection in dried blood spots. J Viral Hepatitis; 6:453.

40- McGee S; Hannon H (1989); International Conference AIDS. Jun 4-9; 5:381.

41- Mei J Alexander J, Adam B (2001). Use of filter paper for the collection and analysis of human whole blood specimens. J. Nutr.; 131(5): 1631S-1636S.

42- Michaela A. Riddell (2002), Detection of Measles Virus-Specific Immunoglobulin M in Dried Venous Blood. Journal of Clinical Microbiology, January, p. 5-9, Vol. 40, No. 1.

43- Moncharmont P, Monneron P, Tsounias N (1999): Evaluation of combined tests to human immunodeficiency viruses type 1 and 2 antibodies screening. J Amer Assoc Blood Banks, 39(10S):73S.

44- Montagnier L, Gruest J, and Chamaret S (1984). Adaption of lymphadenopathy associated virus (LAV) to replication in EBV-transformed B lymphoblastoid cell lines. Science; (225):63-66.

45- Montagnier L, Clavel F, Krust B (1985), Identification and antigenicity of the major envelope glycoprotein of lymphadenopathy-associated virus. Virol; 144:283-289.

46- Nyambi, K Fransen, H De Beenhouwer (1994), Detection of human

immunodeficiency virus type 1 (HIV-1) in heel prick blood on filter paper from children born to HIV-1-seropositive mothers. *J. Clin Microbiol.* November; 32(11): 2858-2860.

47- O'Farrell N, Tovey SJ, Morgan-Capner P (1992). Transmission of HIV-1 infection after a fight. *Lancet*; 339: 246.

48- O'Flynn, ME.)1992(. Newborn screening for phenylketonuria: thirty years of progress. *Curr Probl Pediatric*; 22:159-165.

49- Parker SP; Taylor MB; Ades AE; Cubitt WD; Peckham C (1995). Use of dried blood spots for the detection and confirmation of HTLV-I specific. *J Clin Pathol antibodies for epidemiological purposes* (10):904.

50- Phillips GB, Pinkernell BH, Jing TY (1994). The association of hypotestosteronemia with coronary artery disease in men. *Arterioscler Thromb May*; 14(5):701-6.

51- Popovic M, Sarngadharan MG, Read E, (1984). Detection, Isolation, and Continuous Production of Cytopathic Retroviruses (HTLV-III) from Patients with AIDS and Pre-AIDS. *Science*; 224:497-500.

52- Ratnam, S., G. Tipples, C. Head, M. Fauvel, M. Fearon, and B. J. Ward (2000). Performance of indirect immunoglobulin M (IgM) serology tests and IgM capture assays for laboratory diagnosis of measles . *J. Clin. Microbiology.*, 38:99–104 .

53- Rawat D; Chakravarti A ; Yadav S (2001). Comparison of two blood collection techniques for measles antibody detection in children. *Indian Journal of Medical Research*; 114:117.

54- Rosenberg ES Altfeld M, Poon SH, (2000). Immune control of HIV-1 after early treatment of acute infection. *Nature*, 407:523-6.

American Academy of Pediatrics, Committee on Genetics. New issues in newborn screening for phenylketonuria and congenital hypothyroidism.

Pediatrics. 1982;69:104-106 (web site).

55- Sarge-Njie R, Schim van der Loeff M, Ceesay S (2000), Dried blood spot for use in sentinel surveillance of HIV-1/2. International Conference of AIDS. Jul 9-14; 13 :(abstract no. MoPeA2116.

56- Sherman GG, Stevens G, Jones SA, (2005). Dried blood spots improve access to HIV diagnosis and care for infants in low-resource settings, [J Acquired Immune Deficiency Syndrome. Apr 15; 38\(5\):615-7.](#)

57- Silva TJ; Olson B; Simpson BJ (1989). Prognostic test in pediatric HIV infection. Int Conf AIDS (abstract no. T.B.P.228)

58- Solomon S (2002). Dried blood spots (DBS): a valuable tool for HIV surveillance in developing/tropical countries. [International Journal of STD & AIDS](#), Volume 13, pp. 25-28(4).

59- Spielberg F, Critchlow C, Vittinghoff E, Coletti AS (2000). Acceptability of oral fluids and dried blood spots, 14: 1819-28.

60- Stair, R.K, and Mellors, J.W (1994). AIDS update, 6:1-14.

61- Susan Phillips (2005). Centers for Disease Control and Prevention, Atlanta, GA 30333

4-9; 5:325.

62- Tadepalli SM, Quinn RP (1990). Determination of zidovudine concentration in serum by enzyme-linked immunosorbent ssay and by time-resolved fluoroimmunoassay. J Acquire Immune DeficSyndr; 3:19-27.

63- Thakar, M.V. Ghate, R.S (1991). Global estimates of HIV infection and AIDS cases. AIDS, Chinese J: 5 (Suppl 5): S57-S61.

64- Thakar, M.V. Ghate, R.S. (2000). Collection of Blood on Filter Paper: Stability Validation study for HIV Serology. Indian Journal of

- 65- UNAIDS, AIDS Epidemic Update, December 2005.
- 66- Waktola A, Toerner J, Espinoza AM, Timpone JG (1996). Retroviruses Opportunistic Infection 2002; 10(1): 69-70.
- 67- Wassilak, S. G., R. H. Bernier, K. L. Herrmann, W. A. Orenstein, K. J. Bart, and R. Amler (1984). Measles seroconfirmation using dried capillary blood specimens in filter paper. *Pediatric. Infectious Disease.* 3:117–121.
- 68- Wayne R. Hogrefe, Carolyn Ernst, and Xin Su (2002). Efficiency of Reconstitution of Immunoglobulin G from Blood Specimens Dried on Filter Paper, *Clinical and Diagnostic Laboratory Immunology*, Vol. 9, No. 6. p. 1338-1342. Health Organization; 70(3):323-6.
- 69- www.mcb.uct.ac.za/cann/335/335Structure.html (web site)
70. www.medscape.com/medline/abstract, (web site).
71. www.newbornscreening.com/main.php3/main.php3/b68.html.
- 72- Yasuhito Abe, Teiri Sagawa, Ken Sakai and Shigeru Kimura (1987). Enzyme-linked immunosorbent assay (ELISA) for human epidermal growth factor (hEGF). *Clinical Chemical Acta*, 168: 87-95.
- 73- Zhang CY; Jiang Y; Xing H; Feng Y (2003). Heterogeneity of HIV strains isolated from different tissues of AIDS patients, 17(1): 58-61.
- 74- Zoulek, G., P. Bürger, and F. Deinhardt(1985). Markers of hepatitis viruses A and B: direct comparison between whole serum and blood spotted on filter paper. *Bull. W. H. O.*, 63:935-939).

