

REFERENCES

1. **Abeer, A. A., Elgari, M. M., Malik, H. I.** (2005). Determination of the frequency of ABO and Rhesus blood group systems antigens in Beni Amir Sudanese tribe. *Sudan University of Science & Technology*,:44-46.
2. **Abu Agla, H. A., Elgari, M. M., Malik, H. I.** (2005). frequency of ABO and Rhesus blood group systems phenotypes in Al Arakieen ethnic group. *Sudan University of Science & Technology*,:46-47
3. **Agre, P. , Cartron, J. P.** (1991). Molecular biology of the Rh antigens. *Blood*, 78:551-563.
4. **Allen, F. H., Rosenfield, R. E.** (1972), Review of Rh serology: eight new antigens in nine years. *Haematologia*, 6:113-120.
5. **Ashraf SH., and Moinuddin,** (2001) A Study of Kell antigens Frequency in the Pakistani population .*Bagai Medical University Journal, Karachi-pakistan*, 25:110.
6. **Avent, N. D., Reid, M.E,** (2000). The Rh blood group system: a review. *Blood*; 95:1-13.
7. **Avent, N. D., Finning, K. M., Martin, P. G., Soothill, P. W.,** (2000). Prenatal determination of fetal blood group status. *Vox Sang* 78:155-162.
8. **Avent, N. D., Jones, J. W., Liu., W., Scott, ML, Voak, D, Flegel, W. A, Wagner, F. F., Green C** (1997). Molecular basis of the D variant

- phenotypes D^{II} and D^{II} allows localization of critical amino acids required for expression of Rh D epitopes epD3, 4 and 9 to the sixth external domain of the Rh D protein. *Br J Haematol.* **97**:366-371.
9. **Avent, N. D.**, Liu, W, Jones, J. W, Scott, M. L, Voak, D, Pisacka, M, Watt, J, Fletcher A, (1997). Molecular analysis of Rh transcripts and polypeptides from individuals expressing the D^{VI} variant phenotype: an *RHD* gene deletion event does not generate all D^{VI}ccEe phenotypes. *Blood.* **89**:1779-1786.
 10. **Avent, N. D.**, Liu, W, Warner, K. M, Mawby, W. J, Jones, J. W, Ridgwell, K, Tanner, M. J., (1996). Immunochemical analysis of the human erythrocyte Rh polypeptides. *J Biol Chem.* **271**:14,233-14,239.
 11. **Avent, N. D.**, Martin, P. G., Armstrong-Fisher, S. S, Liu, W, Finning, K. M., Maddocks, D., Urbaniak, S. J, (1997). Evidence of genetic diversity underlying Rh D^r, weak D (D^u), and partial D phenotypes as determined by multiplex polymerase chain reaction analysis of the *RHD* gene. *Blood.* **89**:2568-2577.
 12. **Avent, N.D.**, Butcher, S.K., Liu, W., Mawby, W.J., Mallinson, Parsons, S.F, Anstee, D.J, Tanner, M.J, (1992). Localization of the C termini of the Rh (rhesus) polypeptides to the cytoplasmic face of the human erythrocyte membrane. *J Biol Chem*, **267**:15,134-15,139.
 13. **Avent, N.D.**, Daniels, G.L., Martin, P.G., Green, C.A., Finning, K.M., Warner, K.M, (1997). Molecular investigation of the Rh C/c polymorphism [abstract]. *Transfus Med*, **7**(suppl 1):18.
 14. **Avent, N.D.**, Finning, K.M., Liu, W., & Scott, M.L., (1996). Molecular biology of partial D phenotypes. *Transfus Clin Biol.* **3**:511-516.

15. **Barbara, Laird-Fryer,** Judith Levitt and Geoff Daiels, Blood group systems: Kell. 1st edition. American Association of Blood Banks Arlington, Virginia, 1990.
16. **Blunt, T.,** Daniels, G., Carritt, B., (1994). Serotype switching in a partially deleted RHD gene. *Vox Sang.*; **67**:397-401.
17. **Boskabady M.H.,** Shade man A., GamamiGo, Mazloom R., (2004). distribution of blood groups among city *Mashhad* in North East of Iran, pak, Jomed, SG.Z1(2)194-8
18. **Colin, Y.,** Chérif-Zahar, B., Le Van Kim, C, Raynal, V., Van Huffel, V., & Cartron, J. P., (1991). Genetic basis of the RhD-positive and RhD-negative blood group polymorphism as determined by Southern analysis. *Blood*, **78**:2747-2752.
19. **Chérif-Zahar, B.,** Bloy, C., Le Van Kim, C., Blanchard, D., Bailly, P, Hermand, P., Salmon, C., Cartron, J. P, Colin, Y., (1990). Molecular cloning and protein structure of a human blood group Rh polypeptide. *Proc Natl Acad Sci U S A.* **87**:6243-6247.
20. **Daci and Lewis SM.,** (1995) Practical Haematology 8th ed, Edinburgh : Churchill livingstone,
21. **Daniels, G. L.,** Faas, B. H. W., Green, C. A, Smart, E, Maaskant-van Wijk, P. A, Avent, N. D., Zondervan, H. A., von dem Borne, A. E & van der Schoot, C. E (1998). The VS and V blood group polymorphisms in Africans: a serological and molecular analysis. *Transfusion*, **38**:951-958.
22. **Eyers, S. A.,** Ridgwell, K, Mawby, W. J., Tanner, M. J, (1994). Topology and organization of human Rh (rhesus) blood group-related polypeptides. *J Biol Chem*, **269**:6417-6423.

23. **Gibreel, M.O., Elgari, M.M., Malik, H.I.** (2005). ABO and Rhesus antigens and their frequencies in Guraan ethnic group. Sudan University of Science & Technology, :50-52.
24. **Hermand, P., Mouro, I., Huet, M.**, (1993). Immunochemical characterization of rhesus proteins with antibodies raised against synthetic peptides. *Blood*, **82**:669-676
25. **Hoffbrand, A.V.**, Lewis S.M., and Tuddenham E.G.D. Postgraduate Haematology, 4th ed. Oxford, Boston, Butterworth Heinemann, 1999
26. **Hoffbrand, A. V., Pettit, A. E.**, (2001). Post graduate hematology. 4th edition, British library, London.
27. **Hyland, C. A., Wolter, L. C., Saul A.** (1994). Three unrelated Rh D gene polymorphisms identified among blood donors with Rhesus CCee (r'r') phenotypes. *Blood*, **84**:321-324.
28. **Issitt, P. D.**, An invited review (1991). the Rh antigen e, its variants, and some closely related serological observations. *Immunohematology*, **7**:29-36.
29. **Kajii, E., Umenishi, F., Iwamoto, S., Ikemoto, S.**, (1993). Isolation of a new cDNA clone encoding an Rh polypeptide associated with the Rh blood group system. *Hum Genet*, **91**:157-162.
30. **Kamla-Raj**, (2007). Frequencies of ABO blood group among Irulas a tribal population of Pondicherry India, *Anthropologist*, **9**(2), 136-164
31. **Kathleen E. Boorman, Barbara E. Dodd and P.J. Lincoln.** (1988). *Blood group serology*. 6th ed. Churchill Livingstone Edinburgh. London Melbourne and New York,
32. **Lapierre, Y., Rigal, Adam, J.** The gel test : A new way to detect red cell antigen- antibody reaction . *Transfusion* 1990; **109**-113 .

33. **Le Van Kim, C**, Mouro, I., Chérif-Zahar, B., Raynal, V., Cherrier, C., Cartron, J. P. ,Colin, Y, (1992). Molecular cloning and primary structure of the human blood group RhD polypeptide. *Proc Natl Acad Sci U S A*, **89**:10,925-10,929.
34. **Legler, T. J.**, Maas, J.H., Blaschke, V., Malekan, M., Ohto, H., Lynen, R., Bustami, N., Schwartz, D.W., Mayr, W. R., Kohler, M. & Panzer. S., (1998). *RHD* genotyping in weak D phenotypes by multiple polymerase chain reactions. *Transfusion*, **38**:434-440.
35. **Levine, P.**, Celano, M. J., Wallace, J., Sanger, R., (1963). A human 'D-like' antibody. *Nature*. **198**:596-597.
36. **Lewis, S.M.**, Bain, B.J., Bates, (1991). Practical haematology 7th ed Churchill Livingstone, **19**:430.
37. **Lewis, S.M.**, Anstee, D.J., Bird, G.W.G.,(1990). Party Blood Group terminololgy from ISBT ,red cell surface antigen *vox sang* ,**58**:158
38. **Malik, H.I.**, Kalil, E.A.G., Musa, A.M., & Elagib, A.H. (2007). Rhesus blood group system alleles, haplotypes, and most probable genotypes in major Sudanese populations. Sudan Univercity of Science and Technology, Khartoum.
39. **Matassi, G.**, Chérif-Zahar, B., Pesole, G., Raynal, V. , Cartron, J. P. (1999). The members of the *RH* gene family (*RH50* and *RH30*) followed different evolutionary pathways. *J Mol Evol*, **48**:151-159.
40. **Marini, A. M.**, Urrestarazu, A., Beauwens, R. , André, B., (1997). The Rh (rhesus) blood group polypeptides are related to NH_4^+ transporters. *Trends Biochem Sci*, **22**:460-461.
41. **Mollison, P. L.**, Engelfriet, C. P., Marcelac. (1997). Blood transfusion in clinical medicine. 10th edition, Oxford Blackwell scientific puplications.

42. **Mouro, I.,** Colin, Y., Chérif-Zahar, B., Cartron, J. P. ,Le Van Kim C. (1993). Molecular genetic basis of the human Rhesus blood group system. *Nature Genet*,**5**:62-65.
43. **Mouro, I.,** Colin, Y., Sistonen, P., Le Pennec, P. Y, Cartron, J. P, Le Van Kim, C, (1995). Molecular basis of the RhC^W (Rh8) and RhC^X (Rh9) blood group specificities. *Blood*, **86**:1196-1201.
44. **Neville, J. B.,** (1994). An introduction to immunohematology. 3rd edition, Toronto: Congress L.
45. **Okuda, H. ,** Kawano, M., Iwamoto, S., Tanaka, M., Seno, T., Okubo, Y., Kajii, E., (1997). The *RHD* gene is highly detectable in RhD-negative Japanese donors. *J Clin Invest*, **100**:373-379.
46. **Ponfick,** (1875): Experimentalle Beitrage zur Lehre der Transfusion. *Virchows Archives. Pathology and Anatomy* 62:273
47. **Race R. R .,** Sanger R. *Blood groups in man* 6th ed.Oxford : ston 1985:25:448.
48. **Reddy K.S.N.,** and Reddy B/K.C. ,(2003). ABO and Rh (D) blood group in Kodide Reddis of Anantapur Disrict Andhra Pradesh, *Anthropologist*,5(3),213-214
49. **Ridgwell, K.,** Spurr, N. K., Laguda, B., MacGeoch, C., Avent, N. D., Tanner M. J., (1992). Isolation of cDNA clones for a 50 kDa glycoprotein of the human erythrocyte membrane associated with Rh (rhesus) blood-group antigen expression. *Biochem J*, **287**:223-228
50. **Rosenfield, R. E.,** Allen, F. H., Jr, Swisher, S. N., Kochwa, S., (1962). A review of Rh serology and presentation of a new terminology. *Transfusion*, **2**:287-312.
51. **Rouillac, C.,** Gane, P., Cartron, J., Le Pennec, P. Y. , Cartron, J. P. ,Colin, Y., (1996). Molecular basis of the altered antigenic expression

- of RhD in weak D (D^u) and RhC/e in R^N phenotypes. *Blood*, **87**:4853-4861.
- 52. Tippett, P.**, Lomas-Francis, C., Wallace, M., (1996). The Rh antigen D: partial D antigens and associated low incidence antigens. *Vox Sang*, **70**:123-131.
- 53. Umenishi, F .**, Kajii, E., Ikemoto, S.,(1994). Molecular analysis of Rh polypeptides in a family with RhD-positive and RhD-negative phenotypes. *Biochem J*, **299**:207-211.
- 54. Wagner, F. F.**, Gassner, C., Müller, T. H., Schönitzer, D., Schunter, F., Flegel, W. A, (1999). Molecular basis of weak D phenotypes. *Blood*, **93**:385-393.
- 55. Worlledge S.**,Ogiemudia S.E.,Thomas C.O.,Ikoku B.N ,Luzzatto L,(1974) . Blood group antigens and antibodies in Nigeria, *Ann Trop Med. Parasitol*, 68(3):249–264. (*PubMed*).