

dedication

- *To the soul of my first teacher, who taught me a lot.*

The king of my heart.....my father.

God bless him

- *To my great beloved mother.
and my brothers and sisters.*
- *To my precious uncles*

Abdulazeez- Gamal

and all my family

- *To all my teachers.*

acknowledgement

Many people contributed much to the success of this study and to making it a reality. I would like to express my deep appreciation and gratitude to every one of them.

Firstly, my thanks are extended to my supervisor prof. **Mohammed Abdallah Aldabi**, the head department of hematology in the program of medical laboratory sciences in C.T.S, for his kind supervision, endless understanding and patience.

Also to all my colleagues in hematology department in CTS, I send my thanks.

My best regards and thanks to the Sudan University of Science and Technology , college of medical laboratory science, hematology department, also to all my teachers and colleagues and friends in Sudan University of Technology and Science.

My great appreciation to my friendly colleague from Alshuluk tribe **Batok Ashar** for his nice collaboration , and for all the people from whom the blood samples have been collected.

Special thanks to Ustaz **Shahinda Abdalla** and Ustaz **Hind Alsideeq**, CTS, for their constant care, valuable advice and assistance.

List of contents

Contents	Page. No
Dedication	I
Acknowledgment	II
Abstract in Arabic	III
Abstract in English	VI
List of contents	VII
List of tables	VIII
List of figures	IX
Chapter (1): Introduction and literature Review	
1.1. Blood group system	1
1.1.2 clinical importance of blood group systems	2
1.1.3. The ABO system	2
1.1.4. The Kell blood group system	2
1.2. literature Review	3
1.2.1. History	3
1.2.2. ABO blood group system	4
1.2.2.1. Antigens of the ABO system	4
1.2.2.2. Secretor and Non secretors	5
1.2..2.3. The Sub- group of A	7
1.2.2.4. The H antigen	7
1.2.2.5. Development of the A , B and H antigens	10
1.2.2.6. The distribution of the A and B antigens	10
1.2.2.2. Antibodies of the ABO system	11
1.2.2.2.1. Anti A and Anti B	11
1.2.2.2.2. Dangerous universal donors	13
12.2.2.3. Anti H	13
1.2.23. Rare ABO variants	15
1.2.3. Kell blood group system	17
1.23.1. Nomenclature	17
1.2.3.2. Kell antigens and their inheritance and discovery	20
1.2.3.2.1. KEL 1 and KEL2 antigens	20

1.2..3.2.2. KEL3 and KEL4 antigens	20
1.2.3.2.3. KEL21 (KP ^C)	21
1.2.3.2.4 KEL6 and KEL7 (JS ^a and JS ^b)	21
1.2.3.2.5. Other Kell antigens and phenotypes	22
1.2.3.2.6. Depressed Kell phenotypes	23
1.2.3.3. Antibodies of the Kell blood group system	24
1.2.3.4. Clinical significance of Kell system	25
1.2.4. Previous frequency studies of ABO and Kell system	26
Chapter (2) Justification and objectives	
2.1. Justification (Rationale)	28
2.2. Objectives	28
2.2.1. General objectives	28
2.2.2. Specific objectives	28
Chapter (3) materials and method	
3.1. Ethical consideration	29
3.2. Study design	29
3.3. Study population	29
3.4. Data collection	29
3.5. Data processing	29
3.6. Data presentation	30
3.7. Study period	30
3.8. Methods	30
3.8.1. General requirements	30
3.8.2. Sampling	30
3.8.3. ABO grouping method	30
3.8.4. Kell grouping method	31
3.8.4.Gel Immune Diffusion Technique	31

Chapter (4) Results	Page. No
4.1. Data processing	34
4.2. Characterization of study population	34
4.3. Kell antigens (K, k) frequency	34
4.4. ABO antigens (A, B) frequency	34
Chapter (5) Discussion	
5. Discussion	43
Chapter (6) conclusion & Recommendations	
6.1. Conclusion	45
6.2. Recommendations	45
Chapter (7) References	
7.1. References	46
7.2. Appendix	50
7.2.1. Questionnaire	51

abstract

This study was done during the period of May to August 2005; it was conducted to establish the frequency of ABO and Kell (K, k) blood group system antigens among apparently healthy Alshuluk Sudanese tribe individuals.

Hundred individuals (54 males and 46 females) were selected according to certain criteria and interviewed using questionnaire form.

Venous blood samples were collected from them and analyzed in the Sudan university hematology laboratory using conventional antisera and gel diffusion technique. SPSS computer program was used for data entry and analysis.

The results obtained showed that the frequency of KEL 1 and KEL 2 antigens is 0%, 100% respectively. The frequency of A and B antigens is 28%, 21% respectively and as a result the frequency of ABO blood groups is as follows:

Blood group A 24%

Blood group B 17%

Blood group O 55%

Blood group AB 4%

There was no difference in Kell (K, k) antigens frequency between Alshuluk males and females, where there was a significant difference in ABO antigen frequency.

ملخص البحث

أجرى هذا البحث التو قعي خلال الفترة من شهر مايو و حتى شهر أغسطس 2005. وهو لتحديد نسبة المستضدات الخاصة بالأنظمة الدموية ABO و k (Kell) فى الاشخاص الأصحاء ظاهرياً السودانيين من قبيلة الشك.

تم اختيار 100 شخص (54 ذكر/46 إناث) بعد أن تم إخضاعهم إلى استبيان خاص و من ثم تم اخذ عينات من الدم الوريدي للفحص المعملي، تم تحليل هذه العينات فى مختبر علم إمراض الدم بجامعة السودان للعلوم والتكنولوجيا باستخدام مضادات الأمصال الروتينية و تقنية انتشار الهلام (الجل) Gel diffusion technique. و تم إدخال و تحليل كل المعلومات المضمنة فى الاستبيان ونتائج تحليل الدم بنظام الحزمه الأحصائيه للعلوم الاجتماعيه (SPSS) بواسطة جهاز الحاسوب .

أظهرت النتائج المتحصلة فى الدراسة أن:

نسبة مستضد K صفر% بينما k 100%

نسبة مستضد B 21% A 28%

و منها أظهرت أن نسبة توزيع زمر الدم التابعة لنظام ABO كالتالى:

نسبة زمرة A 24%

نسبة زمرة B 17%

نسبة زمرة O 55%

نسبة زمرة A 4%

أظهرت النتائج أيضاً انه ليس هناك فرق فى نسبة انتشار مستضدات k (K) بين ذكور و إناث قبيلة الشك بينما هناك فرق واضح و مؤثر فى نسبة توزيع مستضدات و زمر دم نظام ABO فى قبيلة الشك.

List of tables

Table NO	Table Name	Page NO
.	.	.
1.1	ABO system groups-Antigens-Antibodies	6
9	Number of A and B antigen sites on red cells of various A and B groups	1.2
13	Some properties of immune and naturally occurring anti-A and anti-B.	1.3
19	antigens of the Kell blood group system: nomenclature.	1.4
36	ABO blood group frequency and percentage in the study group.	4.1
36	Sex frequency and percentage in the study group.	4.2
36	ABO groups frequency and percentage in both sexes in the study group.	4.3
42	Kell antigens(K, k) frequency and percentage in both sexes in the study group.	4.4

List of figures

Figure No	Figure name	Page NO
1 1	Pathways from HAB blood group genes to antigens.	1.1
3 7	ABO blood groups among study groups	4.1
3 8	ABO blood groups among male group	4.2
3 9	ABO blood groups among female group	4.2
4 0	ABO blood groups among male group	4.2
4 1	ABO blood groups among male group	4.2