

*Dedication*

**Dedicated with deepest love to: My beloved father, mother.  
My dearest friends for being my side whenever I need them**

## ACKNOWLEDGEMENT

Firstly, I would like to thank Allah for his firm hands in guiding me in the course of completing this Research .it is his grace and mercy that I am able to embark this Research.

This research is made possible through the help and support from everyone, including: Supervisor ,parents, teachers, family, friends, and in essence, all sentient beings.

Especially, please allow me to dedicate my acknowledgment of gratitude toward the following significant advisors and contributors:

First and foremost, I would like to thank my **Supervisor Prof. Abd elrasol Elzbaydi** for his Professional guidance, most support and encouragement. He kindly read my paper and offered invaluable detailed advices, organization, and the theme of the Research.

Finally, I sincerely thank to my parents, family, and friends, who provide the advice.

## **Abstract**

Because of the rapid development in the Technology Revolution and the new applications resulting from the use of SCADA in various areas of scientific and practical. We also believe that as SCADA usage is use by many company's in everyday life. In this sense the Research and formed the idea came to offer new enhancement possibilities for the use of mobile Phone or PC, taking advantage of developments in the IP through the Mobile Network and had this idea to solve the problem of movement from one place to another where person can control his system by mobile Terminal after that the human did not need to stay with the system and he can control it from some where.

This Research has been solved that the user can control his devices from any where in the world was ,By sending orders from his mobile Terminal , and the system consists of three basic components are the mobile Terminal and the SCADA network and mobile network between them .

## مُسْتَخْلَصُ الْبَحْثِ

نتيجة للتطور السريع في ثورة التكنولوجيا والتطبيقات الجديدة الناجمة عن استخدام الـ SCADA في مختلف المجالات العلمية والتطبيقات الصناعية. جاء استخدام الـ SCADA كنظام تحكم متتطور في العديد من الشركات الصناعية وهذا عزز من فكرة تقديم إمكانيات جديدة باستخدام شبكات الاتصالات وشبكات الكمبيوتر بالإضافة من التطور الكبير في مجال الإنترن特 بروتوكول IP ، حيث يمكن التحكم في الأنظمة من قبل محطة متنقلة ولا حاجة للمهندسين والفنين للبقاء بإستمرار في الحقول والمصانع مع الأنظمة.

وقد تم في هذا البحث معالجة إمكانية التحكم بالأنظمة من أي مكان في العالم من خلال إرسال أوامر من المحطة المتنقلة إلى نظام التحكم، ويكون النظام من ثلاث مكونات أساسية وهي :

## Table of Contents

Content	Page No
الأدية	<b>I</b>
Dedication	<b>II</b>
Acknowledgement	<b>III</b>
Abstract	<b>IV</b>
مختصر البحث	<b>V</b>
Table of Contents	<b>VI</b>
List of figure	<b>VIII</b>
List of table	<b>XII</b>
<b>Chapter One: Introduction</b>	
Background	<b>1</b>
Problem Statement	<b>2</b>
Proposed solution	<b>2</b>
<b>Objective</b>	<b>2</b>
Methodology	<b>3</b>
Research Plan	<b>3</b>
<b>Chapter Two: Control System (SCADA)</b>	
Introduction	<b>4</b>
Related Technologies	<b>6</b>
Supervisory Control and Data Acquisition System	<b>6</b>
Internet SCADA	<b>8</b>
HMI's through Smart Phones	<b>9</b>
Mobile Terminal	<b>10</b>
<b>Chapter Three: IP Network Mobility</b>	
Introduction	<b>12</b>
IPv6 Network Mobility	<b>12</b>
NEMO Basic Support Protocol	<b>12</b>
NEMO Route Optimizations	<b>14</b>
Remote Network Support	<b>15</b>
Technical Approach	<b>16</b>
Mobile Library	<b>23</b>
Technical Approach	<b>24</b>
Mountain Rescue	<b>31</b>
Technical Approach	<b>32</b>

<b>Chapter Four: Team Viewer</b>	
Introduction about TeamViewer	36
Installation	37
Connections	45
Operations in the Remote Control Window	53
Remote Control - Advanced Functions	62
Presentation	76
Creating a TeamViewer Account	86
Multimedia Functions	97
Multimedia Functions	101
Options	107
<b>Chapter Five: Results and Discussion</b>	
Results	126
Remote Control	126
Discussion	127
<b>Chapter Six: Conclusion and Recommendation</b>	
Conclusion	130
Recommendations	130
References	131

## List of figures

<b>Figure</b>	<b>Page No</b>
<b>Figure [2.1]</b> Conventional SCADA Architecture	7
<b>Figure [2.2]</b> Internet SCADA Architecture	9
<b>Figure [2.3]</b> Internet SCADA Architecture with HMI's extended to a Smart Phone	10
<b>Figure [3.1]</b> Nemo Basic Operation	13
<b>Figure [3.2]</b> An Example of Nested Mobile Networks	13
Figure [3.3] Remote Network Support Scenario	16
Figure [3.4] Example of Remote Network Support	17
Figure [3.5] How the MAR Monitor works	19
Figure [3.6] MAR Monitor Main Screen	20
Figure [3.7] Ethernet Interfaces on the MAR	21
Figure [3.8] 802.11 Access Point on the MAR	21
Figure [3.9] MAR Monitor PDA Client	22
Figure [3.10] Mobile Library Scenario	23
Figure [3.11] Mobile Library Network Architecture	25
Figure [3.12] Mobile Library Web Interface (1)	28
Figure [3.13] Mobile Library Web Interface (2)	29
Figure [3.14] Mobile Library Web Interface (3)	30
Figure [3.15] Mountain Rescue Scenario	31
Figure [3.16] Network Hierarchy relating to Rescue Services Organization	32
Figure [3.17] Example Connectivity Map for One Rescue Team	33
Figure [3.18] Demonstration Setup	35
Figure [4.1] The TeamViewer main window	38
Figure [4.2] The QuickSupport main window	39
Figure [4.3] User ID and server ID in the About dialog.	44
Figure [4.4] License Activation window	45
Figure [4.5] The TeamViewer main window	46
Figure [4.6] The Quick Support main window	48
Figure [4.7] An individually created QuickSupport module	49
Figure [4.8] Participants connect with the presenter via Team Viewer Quick Join	51

Figure [4.9] The Remote Control window	58
Figure [4.10] the file transfer dialog allows you to send and receive files to and from the remote computer	59
Figure [4.11] The File transfer event log window	61
Figure [4.12] The Advanced Authentication dialog	63
Figure [4.13] The Web Connector is started directly from your browser and is instantly ready for establishing connections.	64
Figure [4.14] With a click on the Quick Connect button, all available connection partners is displayed.	65
Figure [4.15] The Remote System Information dialog	67
Figure [4.16] In the authentication window you can choose the access mode for the current session	69
Figure [4.17] In the Confirm all mode, you can only perform further actions if your partner confirms them.	69
Figure [4.18] On the Remote Control tab, you can select the default mode for access control.	69
Figure [4.19] The Access Control window shows the precise impact of the selected mode.	70
Figure [4.20] On the Security tab, you can determine the incoming Access Control.	73
Figure [4.21] Access control	74
Figure [4.22] The Connection Info dialog displays information about your current session.	75
Figure [4.23] Your partner can directly join your presentation through his/her web browser	79
Figure [4.24] The Presentation Control Panel	80
Figure [4.25] In the Partner List, you can see at a glance which partners (computers) are online	86
Figure [4.26] Creating the TeamViewer account via the website	87
Figure [4.27] The account management in the web browser can also be accessed from anywhere even if no TeamViewer is installed	88
Figure [4.28] You can spontaneously log on to your account from any TeamViewer	89
Figure [4.29] In the partner list, you can add TeamViewer accounts and TeamViewer IDs.	92
Figure [4.30] The connection will be established	93

Figure [4.31] If you are connected with more than one chat partner, they will be displayed in the left part of the window.	94
Figure [4.32] Chat window from which TeamViewer connections can be started	95
Figure [4.33] The Quick Support customer module with chat window	94
Figure [4.34] The Audio menu	98
Figure [4.35] TeamViewer video options	100
Figure [4.36] The Chat widget	101
Figure [4.37] The Conference call widget	101
Figure [4.38] This dialog shows which IDs are currently having a session.	103
Figure [4.39] The VPN TeamViewer dialog	105
Figure [4.40] The General category provides the most basic setting options	108
Figure [4.41] In the Proxy Settings dialog, you can configure access to the Internet if you have a proxy server.	108
Figure [4.42] The Black and whitelist dialog	110
Figure [4.43] In the Security category, you can change all security-related settings.	111
Figure [4.44] In the Remote Control category, you can perform all the settings about quality, session recording or access to other computers.	117
Figure [4.45] In the Access Control Details dialog, you can perform the detail settings for the Custom Settings mode.	113
Figure [4.46] In the Custom Settings dialog, you can configure quality options	114
Figure [4.47] In the Presentation category, you can define all the rules for your presentation connections.	116
Figure [4.48] The account management in TeamViewer provides additional options	118
Figure [4.49] Details can be found in chapter 8.1 Audio Transmission	118
Figure [4.50] Details can be found in chapter 8.2 Video Transmission	119
Figure [4.51] In the Custom invitation category, you can create an individual invitation e-mail.	120

Figure [4.52] Under Advanced settings, you will find all the advanced options	123
Figure [4.53] Open this dialog to configure the Quick Connect button according to your requirements	124
Figure [4.54] In the TeamViewer Server dialog, you can enter a fixed TeamViewer Server.	125
Figure [4.55] The Quick Support options dialog	126
Figure [5.1] The TeamViewer remote window	128

## List of tables

Table	Page No
Table[4.1] Operations in the Remote Control Window	53
Table [4.2] On the side of the partner that is receiving remote support	58
Table [4.3] The buttons are used to control the file transfer operations	60
Table [4.4] The following actions are available in the toolbar	80
Table [4.5] The following options are available in the widgets section	82
Table [4.6] Operations in the Partner List	89
Table [4.7] Icons in the Partner List	90