

# Contents

<b>Subject</b>	<b>page</b>
<b>Preface</b>	<b>(i)</b>
<b>CHAPTER I</b>	
<b>INTRODUCTION</b>	
<b>1. Introduction</b>	<b>(1)</b>
<b>CHAPTER 2</b>	
<b>Background and Literature Review</b>	
<b>2.1. Glass And Its Structural Theories</b>	<b>(4)</b>
2.1.1 Glass definition	(4)
2.1.2 The Nature Of The Glassy State	(4)
<b>2.2. Structural Theories Of Glass Formation</b>	<b>(6)</b>
(i) GoldSchmidt's radius ratio criterion	(6)
(ii) The Zachariasen random network hypothesis	(7)
(iii) The aggregate hypothesis	(8)
<b>2.3. Structure Of Phosphate Glasses</b>	<b>(8)</b>
<b>2.4. Interaction of radiation with matter</b>	<b>(10)</b>
2.4.1 General consideration	(10)
2.4.2 Interaction Of Gamma Ray With Glasses	(11)
2.4.3 The nature of colour centers in glass:	(12)
2.4.4 Nature of colour centre in phosphate glasses	(13)
<b>2.5 Thermoluminescence phenomena</b>	<b>(16)</b>

2.5.1 Definition:	(16)
2.5.2 A General Model for Thermoluminescence :	(17)
2.5.3 Crystal imperfections :	(18)
2.5.4 Luminescent processes :	(21)
2.5.5 Kinetics of thermoluminescence glow peaks :	(22)
<b>2.6 Thermoluminescence parameters :</b>	<b>(25)</b>
<b>2.7. Literature survey on thermoluminescence:</b>	<b>(27)</b>
<b>2.8 Features of Some Standard Thermoluminescence Dosimetry Phosphors</b>	<b>(38)</b>
(i) CaF <sub>2</sub> :Natural calcium fluoride	(38)
(ii) (CaF:Mn) Calcium fluoride doped with manganese	(38)
(iii) (CaF <sub>2</sub> :Dy) Calcium fluoride doped with dysprosium	(39)
(iv) (CaSO <sub>4</sub> : Dy) Calcium sulfate doped with dysprosium	(39)
(v) (Al <sub>2</sub> O <sub>3</sub> ) Aluminum Oxide	(42)
(vi) ( LiF ) Lithium Fuloride	( 42)

## **CHAPTER 3**

### **EXPERIMENTAL TECHNIQUE**

<b>3.1 Glass Preparation</b>	<b>(46)</b>
------------------------------	-------------

<b>3.2 X-Ray Investigation</b>	(46)
<b>3.3 Irradiation Facilities</b>	(48)
3.3.1 The cobalt-60 unit and its output calibration	(48)
3.3.2 Irradiation of glasses	(49)
<b>3.4 Measurement Of Thermoluminescence</b>	(51)

## **CHAPTER 4**

### **RESULTS AND DISCUSSION**

<b>4.1 Determination of the composition of (100-x) P<sub>2</sub>O<sub>5</sub> – xLi<sub>2</sub>O</b>	(54)
<b>4.2 Thermoluminescence for (100-x)P<sub>2</sub>O<sub>5</sub>-xLi<sub>2</sub>O</b>	(55)
4.2.1 General consideration	(55)
<b>4.3. Thermoluminescence for 50P<sub>2</sub>O<sub>5</sub>-50LiO<sub>2</sub></b>	(57)
4.3.1. Analysis	(57)
4.3.2. Determination of the optimum concentration of transition metal suitable as TL centers	(57)
<b>4.4 Thermoluminescence and thermoluminescence dosimetry for (100-x)P<sub>2</sub>O<sub>5</sub>-xLi<sub>2</sub>O</b>	(63)
<b>4.5 Effect of Li<sub>2</sub>O on the thermoluminescence response in (100-x)P<sub>2</sub>O<sub>5</sub>-xLi<sub>2</sub>O glass system</b>	(65)
<b>4.6. Fading</b>	(78)
<b>4.7. Discussion The Thermoluminescence Process in Lithium Phosphate Glasses:</b>	(89)

4.7.1. The role of magnesium ions	(91)
4.7.2. The role of copper ions	(91)
<b>4.8. Proposed TL Models Prepared Glass:</b>	<b>(93)</b>
4.8.1. Model 1	(94)
4.8.2. Model 2	(95)
4.8.3. Model 3	(95)
4.8.4. Model 4	(97)
<b>4.9 Thermoluminescence of (Li<sub>2</sub>B<sub>4</sub>O<sub>7</sub>) Lithium Borate :TLD-800</b>	<b>(99)</b>
<b>4.10. Calculation of Trap Depth From Glow Curves:</b>	<b>(104)</b>
4.10.1 The Methods Used For Determining Trap Depth From Glow Curves	(104)
(i) <u>Methods based on T<sub>m</sub></u>	(104)
(a) Method due to Randall and Wilkins	(104)
(b) Method due to Booth and Bohun	(105)
(C) Method due to Hoogenstraaten	(106)
(ii) <u>Methods based on the shape of the glow curve</u>	(106)
(a) Initial rise method	(106)
(b) Isothermal decay method	(107)
(iii) <u>Methods depending on both glow curve shape and T<sub>m</sub></u>	(108)
(a) Grossweiner's_method	(108)
(b) Method due to Lushchik	(109)
(C) Halperin and Braner's method	(109)

(d) Method due to Chen	(110)
(e) Method due to Christodoulides	(111)
(f) Method due to Mazunder et al.	(112)
4.10.2 Numerical Calculation of Trap Depth From Glow Curves	(112)
<b>Conclusion</b>	(116)
<b>References</b>	(120)
<b>Arabic Summary</b>	(132)