

TABLE OF CONTENTS

الآية

I

Dedication

II

Acknowledgement

III

Abstract

IV

مستخلص

V

Table of content

VI

List of figures

VII

CHAPTER ONE: INTRODUCTION

Background

1.2 Problem Statement

1.3 Objective

1.4 Methodology

1.5 Research Outlines

CHAPTER TWO: ANTENNAS

2.1Introduction

2.2Antenna Field Regions

2.3Antenna Parameters

2.3.1 Radiation Patterns

[2.3.2 Radiation Density](#)

2.3.3 Radiation Intensity

11 2.4 Directivity D_0 and G Gain of an Antenna **12**

2.5 Beamwidth

2.6 Polarization

2.7 Directivity D_0 & Effective Aperture A_e

2.8 Effective Height h_e & Effective Aperture A_e

CHAPTER THREE: ANTENNA ARRAYS

3.1 Introduction

3.2 Isotropic Point Sources

3.2.1 Radiation Produced by Two Point Sources (Array Factor)

3.2.2 Two-Short Dipole Array

3.2.3 The influence of The Excitation Phase on Radiation Pattern.

3.3 N-ELEMENT LINEAR ARRAY: UNIFORM AMPLITUDE
AND SPACING

3.3.1 Nulls

3.3.2 Maximum Radiation

3.3.3 3-dB Points

3.3.4 Half-Power Beamwidth θ_h

3.3.5 Maxima of Minor Lobes

3.3.6 The First Maximum of Minor Lobes

3.3.7 Broadside Array

3.3.8 Half-Power Beamwidth for Broadside Array

3.3.9 Ordinary End-Fire Array

3.3.10 Half-Power Beamwidth for End-fire

3.3.10 Phased Scanning Array (Beam Steering)

3.4 N-ELEMENT LINEAR ARRAY DIRECTIVITY

3.4 .1 Directivity D_0 , of A Broadside Array

3.4.2 Directivity D_0 , of the End-Fire Array

CHAPTER FOUR: NONUNIFORM AMPLITUDE

4.1 Introduction

4.2 Derivations for an Array Factors for Even & Odd Number of Isotropic point sources

4.2.1 Array Factor for an Even Number of Array Elements

4.2.2 Array Factor an Odd Number of Array Elements

4.2 J. S. Stone Binomial Array

4.2.1 Directivity & half-power Beamwidth for Binomial Arrays

CHAPTER FIVE DOLPH-TSCHEBYSCHIEFF ARRAY

5.1 Introduction

5.2.2 Derivation of Dolph-Tschebyscheff Coefficients

46

5.3 Design

Procedure

49

5.4 Even & Odd Numbers of Dolph-Tschebyscheff Arrays

5.5 Effects of Spacing between elements on Dolph-Tschebyscheff Array

5.6 Condition of Having Side Lobes with the Same Level

5.7 Dolph- Tschebyscheff' Broaden Factor & Beamwidth

CHAPTER SIX: SIMULATION DESIGN

6.1 Introduction

6.2 Simulation Model

6.2.1 System Parameters

6.3 Simulation Flow Chart

6.4 Simulation Procedure

6.5 Simulation Results

6.5.1 Effects of Number of Elements

6.5.2 Effects of Excitation Phases (Beam Steering).

6.5.3 The Influence of The amplitudes of Excitation

CHAPTER SEVEN: CONCLUSIONS &RECOMMENDATIONS

7.1 Conclusions

7.2 Recommendations

REFERENCES

APPENDIX

LIST OF FIGURES

Figure2.1 Antenna as a Transition Between the guided wave
&free space 5

Figure 2.2 Thevenin Equivalent of Antenna in Transmission
mode 6

Figure 2.3 Antenna Regions
8

Figure 2.4 Antenna Field & pPower Patterns
10

Fig. 2.5 Types of P olarizations
14

Figure 3.1 Two Isotropic Point Sources

20

Figure 3.2 Radiation Pattern Produced by Two Isotropic Point Sources

21

Figure 3.3 Two Short Infinitesimal Dipole

23

Figure 3.4 Pattern Multiplication $\beta = \pi/2 = 90^\circ$ and $d = \lambda/4$

25

Figure 3.5 Pattern Multiplication $\beta = 0^\circ$ and $d = \lambda/4$

26

Fig 3.6 Far Field Geometry of N Elements Array

27

Fig. 3.7 $\left| \frac{\sin x}{x} \right|$ Diagram

30

Fig. 3.8 Three and Two Dimensional Pattern for Broadside ($\beta = 0$)

32

Array Factor for $N=10$, Spacing $d = \lambda/4$ & $d = \lambda$

Figure 3. 9 Three and Two Dimensional amplitude end-fire

34

Figure 3.10 Three and Two Dimensional Pattern

for max Radiation at $\theta = 60^\circ$

35

Figure 4.1 Distribution of Even & Odd number of Elements Along Z-axis

39

Figure 4.2 Amplitudes of a Binominal Array of 10 Elements Spaced by $d = \lambda/2$

44

Figure 4.3 Binomial Array with $N=10$ and spaced by $d = \lambda/4$, $d = \lambda/2$, and $d = \lambda$

45

Figure 5.1 Tschebyscheff Polynomials of order Zero up to Order Five	49
Figure 5.2 Amplitudes of Tschebyscheff Polynomial of Order Nine	52
Fig.5.3 Absolute values of Tschebyscheff Polynomial of Order nine	52
Fig.5.4 Array Factor Power Pattern of N= 10 Dolph-Tschebyscheff for Spacing $d = \lambda/2$ and $d = \lambda/4$	55
Fig.5.5 Broaden Factor Against Side Lobes	57
Fig.6.1 Simulation Flow Chart	60
Figure 6.2 Linear Array with number of Elements $N = 5$, Spacing $d = \lambda/4$, Uniform Amplitudes	63
Figure 6.3 Linear $N = 10$, Spacing $d = \lambda/4$, Uniform Amplitudes All in Phase ($\beta = 0^\circ$)	64
Figure 6.4 Binomial Array $N = 5$, spacing $d = \lambda/4$, Nonuniform Amplitudes all in phase ($\beta = 0^\circ$)	65
Figure 6.5 Binomial Array $N = 10$, spacing $d = \lambda/4$, Nonuniform Amplitudes All in phase ($\beta = 0^\circ$)	66
Figure 6.6 Dolph-Tschebyscheff Array with Side Lobe Level -26dB $N = 5$, Spacing $d = \lambda/4$, ($\beta = 0^\circ$)	66
Figure 6.7 Dolph-Tschebyscheff Array with Side Lobe Level -26dB $N = 10$, Spacing $d = \lambda/4$, ($\beta = 0^\circ$)	67

Figure 6.8 End-Fire Array of: achieved by making $(\beta = -90^\circ)$

$N=10$ and $d=\lambda/4$
68

Figure 6.9 $(\beta = -45^\circ)$, which corresponds to maximum radiation at $\theta = 60^\circ$, $N=10$, $d=\lambda/4$

68

Figure 6.10 broadside uniform array $N=10$, $d=\lambda/4$

69

Figure 6.11 Amplitudes of Binomial array for $N=10$, $d=\lambda/4$

69

Figure 6.12 Amplitudes Tschebyscheff Array for $N=10$, $d=\lambda/4$,
Side lobe level -26dB

70