بسم الله الرحمن الرحيم

Sudan University of Science & Technology College of graduate studies

A thesis Submitted for partial fulfillment for the award of MSc in computer engineering

Microcontroller Activation of Programmable parallel Interface (PPI)

تفعيل معدة الربط البيني المتوازي بواسطة المتحكم الدقيق

Presented by:

Adil haraka Hassab Allah

Supervisor:

Dr: Abed Alrasoul Alzubiadi

October - 2009 Dedication

- to my greater family, mother , father brothers ,sisters
- to my teachers
- to my wife
- to my friends

Acknowledgment

There is no doubt no one in our life can do or perform any work without having assistance t from other because we all need a help from others according to that I want to give my great thanks to all people that help me in my research and I want to dedicate some people with special thanks for the assistance and support

- My supervisor Dr Abed rasoul Al zubiadi
- Electronic Staff in college of engineering in Sudan university
- Special thanks to Kordofan University
- All my family for their patients and support

Abstract

There is no doubt that the automatic control system has made a great move step in control systems that is lets the scientists thinking to find an enhanced techniques for making a control operation easier .As a result of this work, the control by the electronic programmable devices layout can be used in most engineering and electronic applications. As an example of that, the parallel interface control .This types of control lets microcontrollers monitoring and controlling a great number of devices that are connected to it easily .Several companies are manufacturing a thousand of integrated circuits designed to be used with the microcontrollers .Hence the system will be suitable for different applications and guides to solve many problems. All these performance let us to go forward in the design of the electronic circuit.

المستخلص

إن دخول التحكم الآلي إلى عالم الأنظمة لاشك انه قد احدث نقلة كبيرة ونوعية في علم التحكم مما دفع الباحثين والمهتمين بهذا المجال من التفكير في إيجاد تقنيات حديثة ومبتكرة لمزيد من التطور والتسهيل والدقة لعملية التحكم على الأنظمة ونتيجة لذلك ظهر التحكم الآلي من خلال القطع الإلكترونية المبرمجة في كثير من التطبيقات الهندسية والإلكترونية المختلفة وكمثال لهذه التطبيقات عملية الربط الْبيني عَلَى التوازي للأنظمة مع الحاسوب من خلال القطع الإلكترونية المبرمجة مكن من التحكم والمراقبة لكثير من المعدات التي تم ربطها مع الحاسب في سهولة ويسر وما كان ليحدث ذلك لولا التقنيات الإلكترونية الحديثة التي كان لها القدح المعلى في ظهور كثير من التطبيقات الإلكترونية والهندسية وحيث بدأت الشركات في إنتاج القطع الكترونية المبرمجة لأغراض خاصة تناسب التطبيقات المعينة مما عمل على حل كثير من المشاكل المعقدة في السابق وكل هذا يدعونا إلى إن نعطى عملية الربط البيني للأنظمة المختلفة مع الحاسب مزيد من الاهتمام ونعمل على إيجاد وتطوير وسائل إضافية المزيد من التسهيل في عملية التحكم في ظل التطور المتسارع للتقنيات ألكترونية .

List of content

Dedication	II
Acknowledgment	III

Abstract	IV
المستخلص	V
List of tables	IX
List of figures	X
CHAPTER One: Introduction	
1-1 Background	1
Type of control	1
Manual & Automatic control	1
Automatic control systems	1
Programmable Ic's	2
Microcontroller	2
1 -2 Problem Statements	3
1-3 Objectives	3
1-4 Methodology	3
1-5 Research outlines	3
Chapter Two: Bstamp Microcontroller	ı
-	
2-1 About the basic stamp microcontroller	4
Point of Interest	4
2-2 Basic Stamp Modules	4
The basic stamp Rev .dex (27100)	4
The javelin stamp modules	4
The basic stamp 2px	5
The basic stamp 2 module (BS2-IC)	5
The basic stamp 2p module	5
The basic Stamp 2p 40 module (Bs2p40)	5
The basic stamp 2pe module (BS2PE)	5
The basic stamp 2sx module	5
The basic stamp 2e module (BS2E-IC)	5
The stamp collection	5
The basic stamp 1 module (BS1-IC)	5
The SB1 USB	6
2-3 Basic Stamp Specification	6
2-4 Basic Stamp programming kit Comparison	9
2-5 Basic Stamp 1 series comparison	10
OEM Bstamp design & modules overview	11

2- 7 The key benefits of OEM Basic stamp design	12	
2 -8 Basic stamp OEM design consideration	12	
Power supply	12	
Resonator Location	12	
Regulatory Warning	12	
Serial communication	12	
2-9 Overview of OEM Basic stamp modules	13	
The Basic stamp 1 OEM (Assembled)	13	
The basic stamp 2 OEM (assembled)	13	
The Bs2sx OEM basic module (assembled)	13	
2- 10 PBASIC Interpreter Chips	14	
2 – 11 BASIC Stamp 2 module	14	
Stock BS2 –IC Category Basic modules description	14	
Chapter Three: PIO 8255 [Programmable input output port]		
3-1 PIO (programmable input output port)	17	
3-2 Modes of operation of 8255:	19	
3-2-1 BSR Mode	19	
3-2- 2 I/0 modes	19	
3 2-2 -1 Mode 0 (BASIC I/O mode)	19	
3 -2- 2 -2 MODE 1(Strobed I/O mode)	20	
Input Control Signal for definitions (mode 1)	20	
3 Output Control Signal Definition (Mode 1)	21	
3-2-2-3 MODE 2 (STROBE BIDIRECTIONAL I/O)	21	
Control signal definition in mode 2	22	
Control signal for output operation	22	
Control Signal for input operation	22	
Chapter Four : Interface Techniques to Computer		
4 -1 The Parallel Interface :	26	
4-1-1 Summary for parallel	28	
4-2 Enhanced Parallel Port (EPP)	28	
4 -3 Enhanced Capabilities Port (ECP)	28	
4-4 IEEE 1284 Parallel port	28	
4-5 The Serial Interface (RS- 232)	29	
4-5-1 Connecting Two Devices with a Serial Cable	29	

4-5-3 Brief Description of common Rs-232C signals 30 4-5-4 Summary for RS232 31 4-6 The IEEE-488 Interface (GPIB) 31 4-6-1 Summary for GPIB 33 4-7 Universal Serial Bus 34 4-8 Fiber channel 34 4-9 Fire Wire 35 4-10 IEEE 1394 35 4-11 Next generation I/O Bus 36 Chapter Five: Hardware circuit design 5-1 BASIC Stamp 38 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI 41 Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51 Appendix	4-5-2 RS232 Connector Diagram	30
4-6 The IEEE-488 Interface (GPIB) 31 4-6-1 Summary for GPIB 33 4-7 Universal Serial Bus 34 4-8 Fiber channel 34 4-9 Fire Wire 35 4-10 IEEE 1394 35 4-11 Next generation I/O Bus 36 Chapter Five: Hardware circuit design 5-1 BASIC Stamp 38 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI 41 Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51	4-5-3 Brief Description of common Rs-232C signals	30
4-6-1 Summary for GPIB 33 4-7 Universal Serial Bus 34 4-8 Fiber channel 34 4-9 Fire Wire 35 4-10 IEEE 1394 35 4-11 Next generation I/O Bus 36 Chapter Five: Hardware circuit design 5-1 BASIC Stamp 38 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI 41 Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51	4-5-4 Summary for RS232	31
4-7 Universal Serial Bus 34 4-8 Fiber channel 34 4-9 Fire Wire 35 4-10 IEEE 1394 35 4-11 Next generation I/O Bus 36 Chapter Five: Hardware circuit design 5-1 BASIC Stamp 38 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI 41 Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51	4-6 The IEEE-488 Interface (GPIB)	31
4-8 Fiber channel 34 4-9 Fire Wire 35 4-10 IEEE 1394 35 4-11 Next generation I/O Bus 36 Chapter Five : Hardware circuit design 5-1 BASIC Stamp 38 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI 41 Chapter six : The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven : Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51	4-6-1 Summary for GPIB	33
4-9 Fire Wire 35 4-10 IEEE 1394 35 4-11 Next generation I/O Bus 36 Chapter Five: Hardware circuit design 5-1 BASIC Stamp 38 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI 41 Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 47 Chapter seven: Results, Conculosion&Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 81 7-1 References	4-7 Universal Serial Bus	34
4-10 IEEE 1394 35 4-11 Next generation I/O Bus Chapter Five: Hardware circuit design 5-1 BASIC Stamp 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 References 51	4-8 Fiber channel	34
4-11 Next generation I/O Bus Chapter Five: Hardware circuit design 5-1 BASIC Stamp 5-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 References 51	4-9 Fire Wire	35
Chapter Five: Hardware circuit design 5-1 BASIC Stamp 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI Chapter six: The Program of the design 6-1 Assembly languages 6-2 Flow chart of the program 45 6-2 Flow chart of the program 47 Chapter seven: Results, Conculosion&Recommnedations 7-1 Results 7-2 conclusion 49 7-3 Recommendations References 51	4-10 IEEE 1394	35
5-1 BASIC Stamp 5-1-1 Basic Stamp Programming connections 39 5-1-2 Equipment Needed 40 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 7-2 conclusion 49 7-3 Recommendations References 51	4-11 Next generation I/O Bus	36
5-1-1 Basic Stamp Programming connections 5-1-2 Equipment Needed 5-1-3 Connecting and Downloading 5-2 ULN 2003 (Darlington driver) 5-3 Hardware design circuit procedure to activate PPI Chapter six: The Program of the design 6-1 Assembly languages 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 7-2 conclusion 49 7-3 Recommendations References 51	Chapter Five : Hardware circuit design	
5-1-1 Basic Stamp Programming connections 5-1-2 Equipment Needed 5-1-3 Connecting and Downloading 5-2 ULN 2003 (Darlington driver) 5-3 Hardware design circuit procedure to activate PPI Chapter six: The Program of the design 6-1 Assembly languages 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 7-2 conclusion 49 7-3 Recommendations References 51		
5-1-2 Equipment Needed 5-1-3 Connecting and Downloading 40 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI 41 Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations References 51	5-1 BASIC Stamp	38
5- 1- 3 Connecting and Downloading 5-2 ULN 2003 (Darlington driver) 41 5-3 Hardware design circuit procedure to activate PPI 41 Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 References 51	5-1-1 Basic Stamp Programming connections	39
5-2 ULN 2003 (Darlington driver) 5-3 Hardware design circuit procedure to activate PPI Chapter six: The Program of the design 6-1 Assembly languages 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 7-2 conclusion 49 7-3 Recommendations References 51	5-1-2 Equipment Needed	40
5-3 Hardware design circuit procedure to activate PPI Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 7-2 conclusion 49 7-3 Recommendations References 51	5- 1- 3 Connecting and Downloading	40
Chapter six: The Program of the design 6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven: Results, Conculosion& Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51	5-2 ULN 2003 (Darlington driver)	41
6-1 Assembly languages 45 6-2 Flow chart of the program 46 The program 47 Chapter seven :Results,Conculosion&Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51	5-3 Hardware design circuit procedure to activate PPI	41
6-2 Flow chart of the program The program Chapter seven : Results, Conculosion& Recommnedations 7-1 Results 7-2 conclusion 49 7-3 Recommendations References 51	Chapter six: The Program of the design	
6-2 Flow chart of the program The program Chapter seven : Results, Conculosion& Recommnedations 7-1 Results 7-2 conclusion 49 7-3 Recommendations References 51		
The program 47 Chapter seven :Results,Conculosion&Recommnedations 7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51	6-1 Assembly languages	45
Chapter seven :Results, Conculosion&Recommnedations7-1 Results497-2 conclusion497-3 Recommendations49References51	6-2 Flow chart of the program	46
7-1 Results 49 7-2 conclusion 49 7-3 Recommendations 49 References 51	The program	47
7-2 conclusion 49 7-3 Recommendations 49 References 51	Chapter seven : Results, Conculosion & Recommnedation	ons
7-2 conclusion 49 7-3 Recommendations 49 References 51		
7-3 Recommendations 49 References 51	7-1 Results	49
References 51	7-2 conclusion	49
51	7-3 Recommendations	49
Appendix 52	References	51
11	Appendix	52

List of Tables

Table	Page
Table (2-1)	6
Table (2-2)	7
Table (2-3)	7
Table(2-4)	8
Table (2-5)	9
Table (2-6)	10
Table (2-7)	13
Table (2-8)	15
Table (2-9)	16
Table (3-1)	18
Table (3-2)	18
Table (3-3)	18
Table (3-4)	19
Table (4-1)	28
Table (4-2)	30
Table (4-3)	32
Table (4-4)	37
Table (5-1)	41
Table (5-2)	41

List of figures

Figure	Dago
Figure	Page

Figure (3-1)	23
Figure (3-2)	24
Figure (3-3)	25
Figure (4-1)	26
Figure(4-2)	27
Figure (4-3)	29
Figure (4-4)	30
Figure (4-5)	31
Figure (5-1)	38
Figure(5-2)	38
Figure (5-3)	39
Figure (5-4)	39
Figure(5-5)	40
Figure (5-6)	42
Figure(5-7)	43
Figure5-8)	44
Figure (6-1)	46
Figure (7-1)	50
Figure (7-2)	50